



☒ Close this window

Common Name: PURELL ADVANCED HAND SANITIZER GREEN CERTIFIED GEL, 400000005885

Manufacturer: GOJO INDUSTRIES

SDS Revision Date: 5/20/2020

SDS Format: GHS-US

Item Number(s): 60LY62

Manufacturer Model Number(s):

SDS Table of Contents


Click the desired link below to jump directly to that section in the SDS.

- [SECTION 1. IDENTIFICATION](#)
- [SECTION 2. HAZARDS IDENTIFICATION](#)
- [SECTION 3. COMPOSITION/INFORMATION ON INGREDIENTS](#)
- [SECTION 4. FIRST AID MEASURES](#)
- [SECTION 5. FIREFIGHTING MEASURES](#)
- [SECTION 6. ACCIDENTAL RELEASE MEASURES](#)
- [SECTION 7. HANDLING AND STORAGE](#)
- [SECTION 8. EXPOSURE CONTROL/PERSONAL PROTECTION](#)
- [SECTION 9. PHYSICAL AND CHEMICAL PROPERTIES](#)
- [SECTION 10. STABILITY AND REACTIVITY](#)
- [SECTION 11. TOXICOLOGICAL INFORMATION](#)
- [SECTION 12. ECOLOGICAL INFORMATION](#)
- [SECTION 13. DISPOSAL CONSIDERATIONS](#)
- [SECTION 14. TRANSPORT INFORMATION](#)
- [SECTION 15. REGULATORY INFORMATION](#)
- [SECTION 16. OTHER INFORMATION](#)

[GOJO \(R*\)](#)

[SAFETY DATA SHEET](#)

[PURELL \(R*\) ADVANCED HAND SANITIZER GREEN CERTIFIED GEL](#)



VERSION: 1.0

SDS NUMBER: 400000005885

REVISION DATE: 05/20/2020

SECTION 1. IDENTIFICATION

PRODUCT NAME: PURELL(R*) ADVANCED HAND SANITIZER GREEN CERTIFIED GEL

MANUFACTURER OR SUPPLIER'S DETAILS:

COMPANY NAME OF SUPPLIER: GOTO INDUSTRIES, INC.

ADDRESS:

ONE GOJO PLAZA, SUITE 500
AKRON, OHIO 44311

TELEPHONE: 1 (330) 255-6000

EMERGENCY TELEPHONE NUMBER:

CHEMTREC 1-800-424-9300

CHEMTREC +1-703-527-3887 OUTSIDE USA & CANADA

RECOMMENDED USE OF THE CHEMICAL AND RESTRICTIONS ON USE:

RECOMMENDED USE: HAND SANITIZER

RESTRICTIONS ON USE:

THIS IS A PERSONAL CARE OR COSMETIC PRODUCT THAT IS SAFE FOR CONSUMERS AND OTHER USERS UNDER NORMAL AND REASONABLY FORESEEABLE USE. COSMETICS AND CONSUMER PRODUCTS, SPECIFICALLY DEFINED BY REGULATIONS AROUND THE WORLD, ARE EXEMPT FROM THE REQUIREMENT OF AN SDS FOR THE CONSUMER. WHILE THIS MATERIAL IS NOT CONSIDERED HAZARDOUS, THIS SDS CONTAINS VALUABLE INFORMATION CRITICAL TO THE SAFE HANDLING AND PROPER USE OF THE PRODUCT FOR INDUSTRIAL WORKPLACE CONDITIONS AS WELL AS UNUSUAL AND UNINTENDED EXPOSURES SUCH AS LARGE SPILLS. THIS SDS SHOULD BE RETAINED AND AVAILABLE FOR EMPLOYEES AND OTHER USERS OF THIS PRODUCT. FOR SPECIFIC INTENDED-USE GUIDANCE, PLEASE REFER TO THE INFORMATION PROVIDED ON THE PACKAGE OR INSTRUCTION SHEET.

SECTION 2. HAZARDS IDENTIFICATION

GHs CLASSIFICATION:

FLAMMABLE LIQUIDS: CATEGORY 3
EYE IRRITATION: CATEGORY 2A

GHS LABEL ELEMENTS:

HAZARD PICTOGRAMS:
FLAME
EXCLAMATION MARK

SIGNAL WORD: WARNING

HAZARD STATEMENTS:
H226: FLAMMABLE LIQUID AND VAPOUR.
H319: CAUSES SERIOUS EYE IRRITATION.

PRECAUTIONARY STATEMENTS:

PREVENTION:
P210: KEEP AWAY FROM HEAT/SPARKS/OPEN FLAMES/HOT SURFACES. - NO SMOKING.
P233: KEEP CONTAINER TIGHTLY CLOSED.
P240: GROUND/BOND CONTAINER AND RECEIVING EQUIPMENT.
P241: USE EXPLOSION-PROOF ELECTRICAL/ VENTILATING/ LIGHTING/EQUIPMENT.
P242: USE ONLY NON-SPARKING TOOLS.
P243: TAKE PRECAUTIONARY MEASURES AGAINST STATIC DISCHARGE.
P280: WEAR EYE PROTECTION/ FACE PROTECTION.

RESPONSE:
P305 + P351 + P338:
IF IN EYES:
RINSE CAUTIOUSLY WITH WATER FOR SEVERAL MINUTES. REMOVE CONTACT LENSES, IF
PRESENT AND EASY TO DO. CONTINUE RINSING.

P337 + P313:
IF EYE IRRITATION PERSISTS: GET MEDICAL ADVICE/ATTENTION.

P370 + P378:
IN CASE OF FIRE:
USE DRY SAND, DRY CHEMICAL OR ALCOHOL-RESISTANT FOAM FOR EXTINGUISHMENT.

STORAGE:
P403 + P235: STORE IN A WELL-VENTILATED PLACE. KEEP COOL.

DISPOSAL:
P501: DISPOSE OF CONTENTS/ CONTAINER TO AN APPROVED WASTE DISPOSAL PLANT.
OTHER HAZARDS: NONE KNOWN.

SECTION 3. COMPOSITION/INFORMATION ON INGREDIENTS

HAZARDOUS COMPONENTS:

CHEMICAL NAME	CAS-NO.	CONCENTRATION (%)
ETHYL ALCOHOL	64-17-5	>=50 - <70
ISOPROPYL ALCOHOL	67-63-0	>=1 - <5

SECTION 4. FIRST AID MEASURES



GENERAL ADVICE:

IN THE CASE OF ACCIDENT OR IF YOU FEEL UNWELL, SEEK MEDICAL ADVICE IMMEDIATELY.

WHEN SYMPTOMS PERSIST OR IN ALL CASES OF DOUBT SEEK MEDICAL ADVICE.

IF INHALED:

IF INHALED, REMOVE TO FRESH AIR.
IF SYMPTOMS PERSIST, CALL A PHYSICIAN.

IN CASE OF SKIN CONTACT:

WASH WITH WATER AND SOAP AS A PRECAUTION.
GET MEDICAL ATTENTION IF IRRITATION DEVELOPS AND PERSISTS.

IN CASE OF EYE CONTACT:

IN CASE OF CONTACT, IMMEDIATELY FLUSH EYES WITH PLENTY OF WATER FOR AT LEAST 15 MINUTES.

IF EASY TO DO, REMOVE CONTACT LENS, IF WORN.

SEEK MEDICAL ADVICE.

IF SWALLOWED:

IF SWALLOWED, DO NOT INDUCE VOMITING.
OBTAIN MEDICAL ATTENTION.
RINSE MOUTH WITH WATER.

MOST IMPORTANT SYMPTOMS AND EFFECTS, BOTH ACUTE AND DELAYED:
CAUSES SERIOUS EYE IRRITATION.

PROTECTION OF FIRST-AIDERS:
FIRST AID RESPONDERS SHOULD PAY ATTENTION TO SELF-PROTECTION AND USE THE RECOMMENDED PROTECTIVE CLOTHING

SECTION 5. FIREFIGHTING MEASURES



SUITABLE EXTINGUISHING MEDIA:

WATER SPRAY

ALCOHOL-RESISTANT FOAM

DRY CHEMICAL

CARBON DIOXIDE (CO2)

SPECIFIC HAZARDS DURING FIREFIGHTING:

DO NOT USE A SOLID WATER STREAM AS IT MAY SCATTER AND SPREAD FIRE.

COOL CLOSED CONTAINERS EXPOSED TO FIRE WITH WATER SPRAY.

FLASH BACK POSSIBLE OVER CONSIDERABLE DISTANCE.

MAY FORM EXPLOSIVE MIXTURES IN AIR.

EXPOSURE TO DECOMPOSITION PRODUCTS MAY BE A HAZARD TO HEALTH.

CARBON OXIDES

HAZARDOUS COMBUSTION PRODUCTS: CARBON OXIDES

SPECIFIC EXTINGUISHING METHODS:

USE EXTINGUISHING MEASURES THAT ARE APPROPRIATE TO LOCAL CIRCUMSTANCES AND THE SURROUNDING ENVIRONMENT.

USE WATER SPRAY TO COOL UNOPENED CONTAINERS.

FURTHER INFORMATION:

COLLECT CONTAMINATED FIRE EXTINGUISHING WATER SEPARATELY. THIS MUST NOT BE DISCHARGED INTO DRAINS.

FIRE RESIDUES AND CONTAMINATED FIRE EXTINGUISHING WATER MUST BE DISPOSED OF IN ACCORDANCE WITH LOCAL REGULATIONS.

SPECIAL PROTECTIVE EQUIPMENT FOR FIREFIGHTERS:
IN THE EVENT OF FIRE, WEAR SELF-CONTAINED BREATHING APPARATUS.
USE PERSONAL PROTECTIVE EQUIPMENT.

SECTION 6. ACCIDENTAL RELEASE MEASURES



PERSONAL PRECAUTIONS, PROTECTIVE EQUIPMENT AND EMERGENCY PROCEDURES:

USE PERSONAL PROTECTIVE EQUIPMENT.

ENSURE ADEQUATE VENTILATION.

REMOVE ALL SOURCES OF IGNITION.

EVACUATE PERSONNEL TO SAFE AREAS.

KEEP PEOPLE AWAY FROM AND UPWIND OF SPILL/LEAK.

MATERIAL CAN CREATE SLIPPERY CONDITIONS.

ENVIRONMENTAL PRECAUTIONS:

DISCHARGE INTO THE ENVIRONMENT MUST BE AVOIDED.

PREVENT FURTHER LEAKAGE OR SPILLAGE IF SAFE TO DO SO.

RETAIN AND DISPOSE OF CONTAMINATED WASH WATER.

LOCAL AUTHORITIES SHOULD BE ADVISED IF SIGNIFICANT SPILLAGES CANNOT BE CONTAINED.

METHODS AND MATERIALS FOR CONTAINMENT AND CLEANING UP:
NON-SPARKING TOOLS SHOULD BE USED.

SOAK UP WITH INERT ABSORBENT MATERIAL.

SUPPRESS (KNOCK DOWN) GASES/VAPOURS/MISTS WITH A WATER SPRAY JET.

KEEP IN SUITABLE, CLOSED CONTAINERS FOR DISPOSAL.

CLEAN CONTAMINATED FLOORS AND OBJECTS THOROUGHLY WHILE OBSERVING ENVIRONMENTAL REGULATIONS.

SECTION 7. HANDLING AND STORAGE



ADVICE ON SAFE HANDLING:

FOR PERSONAL PROTECTION SEE SECTION 8.

KEEP AWAY FROM HEAT.

USE WITH LOCAL EXHAUST VENTILATION.

AVOID CONTACT WITH EYES.

CONDITIONS FOR SAFE STORAGE:

TAKE MEASURES TO PREVENT THE BUILD UP OF ELECTROSTATIC CHARGE.

KEEP IN PROPERLY LABELLED CONTAINERS.

KEEP CONTAINER TIGHTLY CLOSED IN A DRY AND WELL-VENTILATED PLACE.

STORE IN ACCORDANCE WITH THE PARTICULAR NATIONAL REGULATIONS.

SECTION 8. EXPOSURE CONTROLS/PERSONAL PROTECTION



COMPONENTS WITH WORKPLACE CONTROL PARAMETERS:

COMPONENTS	CAS-NO.	VALUE TYPE (FORM OF	CONTROL PARAMETERS / PERMISSIBLE	BASIS
------------	---------	------------------------	-------------------------------------	-------

EXPOSURE)		CONCENTRATION	
ETHYL ALCOHOL	64-17-5	TWA	1,000 PPM 1,900 MG/M3 NIOSH REL
		TWA	1,000 PPM 1,900 MG/M3 OSHA Z-1
		STEL	1,000 PPM ACGIH
ISOPROPYL ALCOHOL	67-63-0	TWA	200 PPM ACGIH
		STEL	400 PPM ACGIH
		TWA	400 PPM 980 MG/M3 NIOSH REL
		ST	500 PPM 1,225 MG/M3 NIOSH REL
		TWA	400 PPM 980 MG/M3 OSHA Z-1

BIOLOGICAL OCCUPATIONAL EXPOSURE LIMITS:

COMPONENTS	CAS-NO.	CONTROL PARAMETERS	BIOLOGICAL SPECIMEN	SAMPLING TIME	PERMISSIBLE CONCENTRATION	BASIS
ISOPROPYL ALCOHOL	67-63-0	ACETONE	URINE	END OF SHIFT AT END OF WORKWEEK	40 MG/L	ACGIH BEI

PERSONAL PROTECTIVE EQUIPMENT:

RESPIRATORY PROTECTION:
NO PERSONAL RESPIRATORY PROTECTIVE EQUIPMENT NORMALLY REQUIRED.

HAND PROTECTION:
REMARKS: NO SPECIAL PROTECTIVE EQUIPMENT REQUIRED.

EYE PROTECTION:
WEAR FACE-SHIELD AND PROTECTIVE SUIT FOR ABNORMAL PROCESSING PROBLEMS.

SKIN AND BODY PROTECTION: NO SPECIAL PROTECTIVE EQUIPMENT REQUIRED.

PROTECTIVE MEASURES:

CHOOSE BODY PROTECTION IN RELATION TO ITS TYPE, TO THE CONCENTRATION AND AMOUNT OF DANGEROUS SUBSTANCES, AND TO THE SPECIFIC WORK-PLACE.

ENSURE THAT EYE FLUSHING SYSTEMS AND SAFETY SHOWERS ARE LOCATED CLOSE TO THE WORKING PLACE.

HYGIENE MEASURES:

HANDLE IN ACCORDANCE WITH GOOD INDUSTRIAL HYGIENE AND SAFETY PRACTICE.

AVOID CONTACT WITH EYES.

SECTION 9. PHYSICAL AND CHEMICAL PROPERTIES



APPEARANCE: LIQUID

COLOUR: CLEAR

ODOUR: ALCOHOL-LIKE

ODOUR THRESHOLD: NO DATA AVAILABLE

PH: 6.5 – 8.5, (20 DEG. C)

MELTING POINT/FREEZING POINT: NO DATA AVAILABLE

INITIAL BOILING POINT AND BOILING RANGE: NO DATA AVAILABLE

FLASH POINT: 24.00 DEG. C

EVAPORATION RATE: NO DATA AVAILABLE

FLAMMABILITY (SOLID, GAS): NOT APPLICABLE

FLAMMABILITY (LIQUIDS): NO DATA AVAILABLE

UPPER EXPLOSION LIMIT: NO DATA AVAILABLE

LOWER EXPLOSION LIMIT: NO DATA AVAILABLE

VAPOUR PRESSURE: NO DATA AVAILABLE

RELATIVE VAPOUR DENSITY: NO DATA AVAILABLE

DENSITY: <=0.881 G/CM3

SOLUBILITY(IES):

WATER SOLUBILITY: SOLUBLE

PARTITION COEFFICIENT N-OCTANOL/WATER: NOT APPLICABLE

AUTO-IGNITION TEMPERATURE: NOT DETERMINED

THERMAL DECOMPOSITION:

THE SUBSTANCE OR MIXTURE IS NOT CLASSIFIED SELF-REACTIVE.

VISCOSITY:

VISCOSITY, KINEMATIC: 3500 - 23000 MM²/S (20 DEG. C)

EXPLOSIVE PROPERTIES: NOT EXPLOSIVE

OXIDIZING PROPERTIES:

THE SUBSTANCE OR MIXTURE IS NOT CLASSIFIED AS OXIDIZING.

SECTION 10. STABILITY AND REACTIVITY



REACTIVITY: NOT CLASSIFIED AS A REACTIVITY HAZARD.

CHEMICAL STABILITY: STABLE UNDER NORMAL CONDITIONS.

POSSIBILITY OF HAZARDOUS REACTIONS:

VAPOURS MAY FORM EXPLOSIVE MIXTURE WITH AIR.

CONDITIONS TO AVOID: HEAT, FLAMES AND SPARKS.

INCOMPATIBLE MATERIALS: STRONG OXIDIZING AGENTS

HAZARDOUS DECOMPOSITION PRODUCTS:

NO HAZARDOUS DECOMPOSITION PRODUCTS ARE KNOWN.

SECTION 11. TOXICOLOGICAL INFORMATION



INFORMATION ON LIKELY ROUTES OF EXPOSURE:

INHALATION

SKIN CONTACT

EYE CONTACT

ACUTE TOXICITY: NOT CLASSIFIED BASED ON AVAILABLE INFORMATION.

PRODUCT:

ACUTE ORAL TOXICITY:

ACUTE TOXICITY ESTIMATE: >5,000 MG/KG

METHOD: CALCULATION METHOD

COMPONENTS:

ETHYL ALCOHOL:

ACUTE ORAL TOXICITY:

LD50 (RAT) : >5,000 MG/KG

ACUTE INHALATION TOXICITY:

LC50 (RAT) : 124.7 MG/L

EXPOSURE TIME: 4 H

TEST ATMOSPHERE: VAPOUR

ISOPROPYL ALCOHOL:

ACUTE ORAL TOXICITY:

LD50 (RAT) : >5,000 MG/KG

ACUTE INHALATION TOXICITY:

LC50 (RAT) : 72.6 MG/L

EXPOSURE TIME: 4 H

TEST ATMOSPHERE: VAPOUR

ACUTE DERMAL TOXICITY:

LD50 (RAT) : >5,000 MG/KG

SKIN CORROSION/IRRITATION: NOT CLASSIFIED BASED ON AVAILABLE INFORMATION.

PRODUCT:

RESULT: NO SKIN IRRITATION

COMPONENTS:

ETHYL ALCOHOL:

SPECIES: RABBIT

METHOD: OECD TEST GUIDELINE 404

RESULT: NO SKIN IRRITATION

ISOPROPYL ALCOHOL:

SPECIES: RABBIT

RESULT: NO SKIN IRRITATION

SERIOUS EYE DAMAGE/EYE IRRITATION: CAUSES SERIOUS EYE IRRITATION.

COMPONENTS:

ETHYL ALCOHOL:

SPECIES: RABBIT

RESULT: IRRITATION TO EYES, REVERSING WITHIN 21 DAYS
METHOD: OECD TEST GUIDELINE 405

ISOPROPYL ALCOHOL:

SPECIES: RABBIT

RESULT: IRRITATION TO EYES, REVERSING WITHIN 21 DAYS

RESPIRATORY OR SKIN SENSITISATION:

SKIN SENSITISATION: NOT CLASSIFIED BASED ON AVAILABLE INFORMATION.

RESPIRATORY SENSITISATION: NOT CLASSIFIED BASED ON AVAILABLE INFORMATION.

PRODUCT:

RESULT: DOES NOT CAUSE SKIN SENSITISATION.

COMPONENTS:

ETHYL ALCOHOL:

TEST TYPE: LOCAL LYMPH NODE ASSAY (LLNA)

EXPOSURE ROUTES: SKIN CONTACT

SPECIES: MOUSE

RESULT: NEGATIVE

ISOPROPYL ALCOHOL:

TEST TYPE: BUEHLER TEST

EXPOSURE ROUTES: SKIN CONTACT

SPECIES: GUINEA PIG

METHOD: OECD TEST GUIDELINE 406

RESULT: NEGATIVE

GERM CELL MUTAGENICITY: NOT CLASSIFIED BASED ON AVAILABLE INFORMATION.

COMPONENTS:

ETHYL ALCOHOL:

GENOTOXICITY IN VITRO:

TEST TYPE: IN VITRO MAMMALIAN CELL GENE MUTATION TEST

RESULT: NEGATIVE

GENOTOXICITY IN VIVO:

TEST TYPE: RODENT DOMINANT LETHAL TEST (GERM CELL) (IN VIVO)

TEST SPECIES: MOUSE

APPLICATION ROUTE: INGESTION

RESULT: NEGATIVE

ISOPROPYL ALCOHOL:

GENOTOXICITY IN VITRO:

TEST TYPE: BACTERIAL REVERSE MUTATION ASSAY (AMES)

RESULT: NEGATIVE

GENOTOXICITY IN VIVO:

TEST TYPE:

MAMMALIAN ERYTHROCYTE MICRONUCLEUS TEST (IN VIVO CYTOGENETIC ASSAY)

TEST SPECIES: MOUSE

APPLICATION ROUTE: INTRAPERITONEAL INJECTION

RESULT: NEGATIVE

CARCINOGENICITY: NOT CLASSIFIED BASED ON AVAILABLE INFORMATION.

COMPONENTS:

ISOPROPYL ALCOHOL:

SPECIES: RAT

APPLICATION ROUTE: INHALATION (VAPOUR)

EXPOSURE TIME: 104 WEEKS

METHOD: OECD TEST GUIDELINE 451

RESULT: NEGATIVE

IARC:

NO COMPONENT OF THIS PRODUCT PRESENT AT LEVELS GREATER THAN OR EQUAL TO 0.1% IS IDENTIFIED AS PROBABLE, POSSIBLE OR CONFIRMED HUMAN CARCINOGEN BY IARC.

OSHA:

NO COMPONENT OF THIS PRODUCT PRESENT AT LEVELS GREATER THAN OR EQUAL TO 0.1% IS IDENTIFIED AS A CARCINOGEN OR POTENTIAL CARCINOGEN BY OSHA.

NTP:

NO COMPONENT OF THIS PRODUCT PRESENT AT LEVELS GREATER THAN OR EQUAL TO 0.1% IS IDENTIFIED AS A KNOWN OR ANTICIPATED CARCINOGEN BY NTP.

REPRODUCTIVE TOXICITY: NOT CLASSIFIED BASED ON AVAILABLE INFORMATION.

COMPONENTS:

ETHYL ALCOHOL:

EFFECTS ON FERTILITY:

TEST TYPE: TWO-GENERATION REPRODUCTION TOXICITY STUDY

SPECIES: MOUSE

APPLICATION ROUTE: INGESTION

METHOD: OECD TEST GUIDELINE 416

RESULT: NEGATIVE

ISOPROPYL ALCOHOL:

EFFECTS ON FERTILITY:

TEST TYPE: TWO-GENERATION REPRODUCTION TOXICITY STUDY

SPECIES: RAT

APPLICATION ROUTE: INGESTION

RESULT: NEGATIVE

EFFECTS ON FOETAL DEVELOPMENT:

TEST TYPE: EMBRYO-FOETAL DEVELOPMENT

SPECIES: RAT

APPLICATION ROUTE: INGESTION

RESULT: NEGATIVE

STOT - SINGLE EXPOSURE: NOT CLASSIFIED BASED ON AVAILABLE INFORMATION.

COMPONENTS:

ISOPROPYL ALCOHOL:

ASSESSMENT: MAY CAUSE DROWSINESS OR DIZZINESS.

STOT - REPEATED EXPOSURE: NOT CLASSIFIED BASED ON AVAILABLE INFORMATION.

REPEATED DOSE TOXICITY:

COMPONENTS:

ETHYL ALCOHOL:

SPECIES: RAT

NOAEL: 2,400 MG/KG

APPLICATION ROUTE: INGESTION

EXPOSURE TIME: 2 Y

ISOPROPYL ALCOHOL:

SPECIES: RAT

NOAEL: 5000 PPM

APPLICATION ROUTE: INHALATION (VAPOUR)

EXPOSURE TIME: 104 W

METHOD: OECD TEST GUIDELINE 413

ASPIRATION TOXICITY: NOT CLASSIFIED BASED ON AVAILABLE INFORMATION.

SECTION 12. ECOLOGICAL INFORMATION



ECOTOXICITY:

COMPONENTS:

ETHYL ALCOHOL:

TOXICITY TO FISH:

LC50 (PIMEPHALES PROMELAS (FATHEAD MINNOW)) : >1,000 MG/L
EXPOSURE TIME: 96 H

TOXICITY TO DAPHNIA AND OTHER AQUATIC INVERTEBRATES:

EC50 (DAPHNIA MAGNA (WATER FLEA)) : >1,000 MG/L
EXPOSURE TIME: 48 H

TOXICITY TO ALGAE:

EC50 (CHLORELLA VULGARIS (FRESH WATER ALGAE)) : 275 MG/L
EXPOSURE TIME: 72 H
METHOD: OECD TEST GUIDELINE 201

TOXICITY TO DAPHNIA AND OTHER AQUATIC INVERTEBRATES (CHRONIC TOXICITY):

NOEC (DAPHNIA MAGNA (WATER FLEA)) : 9.6 MG/L
EXPOSURE TIME: 9 D

TOXICITY TO BACTERIA:

EC50 (PHOTOBACTERIUM PHOSPHOREUM) : 32.1 MG/L
EXPOSURE TIME: 0.25 H

ISOPROPYL ALCOHOL:

TOXICITY TO FISH:

LC50 (PIMEPHALES PROMELAS (FATHEAD MINNOW)) : 10,000 MG/L
EXPOSURE TIME: 96 H

TOXICITY TO DAPHNIA AND OTHER AQUATIC INVERTEBRATES:

EC50 (DAPHNIA MAGNA (WATER FLEA)) : >10,000 MG/L
EXPOSURE TIME: 24 H

TOXICITY TO BACTERIA:

EC50 (PSEUDOMONAS PUTIDA) : >1,050 MG/L
EXPOSURE TIME: 16 H

PERSISTENCE AND DEGRADABILITY:

COMPONENTS:

ETHYL ALCOHOL:

BIODEGRADABILITY:

RESULT: READILY BIODEGRADABLE.
BIODEGRADATION: 84%
EXPOSURE TIME: 20 D

ISOPROPYL ALCOHOL:

BIODEGRADABILITY:
RESULT: RAPIDLY DEGRADABLE

BIOACCUMULATIVE POTENTIAL:

COMPONENTS:

ETHYL ALCOHOL:

PARTITION COEFFICIENT N-OCTANOL/WATER:
LOG POW: -0.35

ISOPROPYL ALCOHOL:

PARTITION COEFFICIENT N-OCTANOL/WATER:
LOG POW: 0.05

MOBILITY IN SOIL: NO DATA AVAILABLE

OTHER ADVERSE EFFECTS: NO DATA AVAILABLE

PRODUCT:

REGULATION:
40 CFR PROTECTION OF ENVIRONMENT; PART 82 PROTECTION OF STRATOSPHERIC
OZONE - CAA SECTION 602 CLASS I SUBSTANCES

REMARKS:
THIS PRODUCT NEITHER CONTAINS, NOR WAS MANUFACTURED WITH A CLASS I
OR CLASS II ODS AS DEFINED BY THE U.S. CLEAN AIR ACT SECTION 602
(40 CFR 82, SUBPT. A, APP. A + B).

SECTION 13. DISPOSAL CONSIDERATIONS

DISPOSAL METHODS:

WASTE FROM RESIDUES: DISPOSE OF IN ACCORDANCE WITH LOCAL REGULATIONS.

CONTAMINATED PACKAGING:

DISPOSE OF AS UNUSED PRODUCT.



EMPTY CONTAINERS SHOULD BE TAKEN TO AN APPROVED WASTE HANDLING SITE FOR RECYCLING OR DISPOSAL.

SECTION 14. TRANSPORT INFORMATION



INTERNATIONAL REGULATION:

IATA-DGR:

UN/ID NO.: UN 1987
PROPER SHIPPING NAME: ALCOHOLS, N.O.S. (ETHANOL, PROPAN-2-OL)
CLASS: 3
PACKING GROUP: III
PACKING INSTRUCTION (CARGO AIRCRAFT): 366
PACKING INSTRUCTION (PASSENGER AIRCRAFT): 355

IMDG-CODE:

UN NUMBER: UN 1987
PROPER SHIPPING NAME: ALCOHOLS, N.O.S. (ETHANOL, PROPAN-2-OL)
CLASS: 3
PACKING GROUP: III
LABELS: 3
EMS CODE: F-E, S-D
MARINE POLLUTANT: NO

NATIONAL REGULATIONS:

49 CFR:
UN/ID/NA NUMBER: UN 1987
PROPER SHIPPING NAME: ALCOHOLS, N.O.S.
CLASS: 3
PACKING GROUP: III
ERG CODE: 127
MARINE POLLUTANT: NO

SECTION 15. REGULATORY INFORMATION



EPCRA – EMERGENCY PLANNING AND COMMUNITY RIGHT-TO-KNOW ACT:

CERCLA REPORTABLE QUANTITY:

THIS MATERIAL DOES NOT CONTAIN ANY COMPONENTS WITH A CERCLA RQ.

SARA 304 EXTREMELY HAZARDOUS SUBSTANCES REPORTABLE QUANTITY:

THIS MATERIAL DOES NOT CONTAIN ANY COMPONENTS WITH A SECTION 304 EHS RQ.

SARA 311/312 HAZARDS:
FIRE HAZARD
ACUTE HEALTH HAZARD

SARA 302:
NO CHEMICALS IN THIS MATERIAL ARE SUBJECT TO THE REPORTING REQUIREMENTS OF
SARA TITLE III, SECTION 302.

SARA 313:

THE FOLLOWING COMPONENTS ARE SUBJECT TO REPORTING LEVELS ESTABLISHED BY
SARA TITLE III, SECTION 313:

ISOPROPYL ALCOHOL 67-63-0 3.4086%

CLEAN AIR ACT:

THIS PRODUCT DOES NOT CONTAIN ANY HAZARDOUS AIR POLLUTANTS (HAP), AS
DEFINED BY THE U.S. CLEAN AIR ACT SECTION 12 (40 CFR 61).

THIS PRODUCT DOES NOT CONTAIN ANY CHEMICALS LISTED UNDER THE U.S.
CLEAN AIR ACT SECTION 112(R) FOR ACCIDENTAL RELEASE PREVENTION
(40 CFR 68.130, SUBPART F).

THE FOLLOWING CHEMICAL(S) ARE LISTED UNDER THE U.S. CLEAN AIR ACT SECTION
111 SOCM1 INTERMEDIATE OR FINAL VOC'S (40 CFR 60.489):

ETHYL ALCOHOL 64-17-5 65.2821%

ISOPROPYL ALCOHOL 67-63-0 3.4086%

THIS PRODUCT DOES NOT CONTAIN ANY VOC EXEMPTIONS LISTED UNDER THE U.S.
CLEAN AIR ACT SECTION 450.

CLEAN WATER ACT:
THIS PRODUCT DOES NOT CONTAIN ANY TOXIC POLLUTANTS LISTED UNDER THE U.S.
CLEAN WATER ACT SECTION 307

MASSACHUSETTS RIGHT TO KNOW:

ETHYL ALCOHOL 64-17-5 50 - 70%

ISOPROPYL ALCOHOL 67-63-0 1 - 5%

PENNSYLVANIA RIGHT TO KNOW:

ETHYL ALCOHOL 64-17-5 50 - 70%

WATER (AQUA) 7732-18-5 30 - 50%

ISOPROPYL ALCOHOL 67-63-0 1 - 5%

NEW JERSEY RIGHT TO KNOW:

ETHYL ALCOHOL 64-17-5 50 - 70%

WATER (AQUA)	7732-18-5	30 - 50%
--------------	-----------	----------

ISOPROPYL ALCOHOL 67-63-0 1 - 5%

CALIFORNIA PROP 65:

THIS PRODUCT DOES NOT CONTAIN ANY CHEMICALS KNOWN TO STATE OF CALIFORNIA TO CAUSE CANCER, BIRTH DEFECTS, OR ANY OTHER REPRODUCTIVE HARM.

THE COMPONENTS OF THIS PRODUCT ARE REPORTED IN THE FOLLOWING INVENTORIES:

CH INV: ON THE INVENTORY, OR IN COMPLIANCE WITH THE INVENTORY

TSCA: ON TSCA INVENTORY

DSL: ON THE INVENTORY, OR IN COMPLIANCE WITH THE INVENTORY

AICS: ON THE INVENTORY, OR IN COMPLIANCE WITH THE INVENTORY

ZNIOC: ON THE INVENTORY, OR IN COMPLIANCE WITH THE INVENTORY

ENCs: ON THE INVENTORY, OR IN COMPLIANCE WITH THE INVENTORY

ISHL: ON THE INVENTORY, OR IN COMPLIANCE WITH THE INVENTORY

KECI: ON THE INVENTORY, OR IN COMPLIANCE WITH THE INVENTORY

PICCS: ON THE INVENTORY - OR IN COMPLIANCE WITH THE INVENTORY

TECSC: ON THE INVENTORY OF COMPLIANCE WITH THE INVENTORY

EFFECTS: ON THE INVENTORY OR IN COMPLIANCE WITH THE INVENTORY

1
 2
 3
 4
 5
 6
 7
 8
 9
 10
 11
 12
 13
 14
 15
 16
 17
 18
 19
 20
 21
 22
 23
 24
 25
 26
 27
 28
 29
 30
 31
 32
 33
 34
 35
 36
 37
 38
 39
 40
 41
 42
 43
 44
 45
 46
 47
 48
 49
 50
 51
 52
 53
 54
 55
 56
 57
 58
 59
 60
 61
 62
 63
 64
 65
 66
 67
 68
 69
 70
 71
 72
 73
 74
 75
 76
 77
 78
 79
 80
 81
 82
 83
 84
 85
 86
 87
 88
 89
 90
 91
 92
 93
 94
 95
 96
 97
 98
 99
 100
 101
 102
 103
 104
 105
 106
 107
 108
 109
 110
 111
 112
 113
 114
 115
 116
 117
 118
 119
 120
 121
 122
 123
 124
 125
 126
 127
 128
 129
 130
 131
 132
 133
 134
 135
 136
 137
 138
 139
 140
 141
 142
 143
 144
 145
 146
 147
 148
 149
 150
 151
 152
 153
 154
 155
 156
 157
 158
 159
 160
 161
 162
 163
 164
 165
 166
 167
 168
 169
 170
 171
 172
 173
 174
 175
 176
 177
 178
 179
 180
 181
 182
 183
 184
 185
 186
 187
 188
 189
 190
 191
 192
 193
 194
 195
 196
 197
 198
 199
 200
 201
 202
 203
 204
 205
 206
 207
 208
 209
 210
 211
 212
 213
 214
 215
 216
 217
 218
 219
 220
 221
 222
 223
 224
 225
 226
 227
 228
 229
 230
 231
 232
 233
 234
 235
 236
 237
 238
 239
 240
 241
 242
 243
 244
 245
 246
 247
 248
 249
 250
 251
 252
 253
 254
 255
 256
 257
 258
 259
 260
 261
 262
 263
 264
 265
 266
 267
 268
 269
 270
 271
 272
 273
 274
 275
 276
 277
 278
 279
 280
 281
 282
 283
 284
 285
 286
 287
 288
 289
 290
 291
 292
 293
 294
 295
 296
 297
 298
 299
 300
 301
 302
 303
 304
 305
 306
 307
 308
 309
 310
 311
 312
 313
 314
 315
 316
 317
 318
 319
 320
 321
 322
 323
 324
 325
 326
 327
 328
 329
 330
 331
 332
 333
 334
 335
 336
 337
 338
 339
 340
 341
 342
 343
 344
 345
 346
 347
 348
 349
 350
 351
 352
 353
 354
 355
 356
 357
 358
 359
 360
 361
 362
 363
 364
 365
 366
 367
 368
 369
 370
 371
 372
 373
 374
 375
 376
 377
 378
 379
 380
 381
 382
 383
 384
 385
 386
 387
 388
 389
 390
 391
 392
 393
 394
 395
 396
 397
 398
 399
 400
 401
 402
 403
 404
 405
 406
 407
 408
 409
 410
 411
 412
 413
 414
 415
 416
 417
 418
 419
 420
 421
 422
 423
 424
 425
 426
 427
 428
 429
 430
 431
 432
 433
 434
 435
 436
 437
 438
 439
 440
 441
 442
 443
 444
 445
 446
 447
 448
 449
 450
 451
 452
 453
 454
 455
 456
 457
 458
 459
 460
 461
 462
 463
 464
 465
 466
 467
 468
 469
 470
 471
 472
 473
 474
 475
 476
 477
 478
 479
 480
 481
 482
 483
 484
 485
 486
 487
 488
 489
 490
 491
 492
 493
 494
 495
 496
 497
 498
 499
 500
 501
 502
 503
 504
 505
 506
 507
 508
 509
 510
 511
 512
 513
 514
 515
 516
 517
 518
 519
 520
 521
 522
 523
 524
 525

INVENTOR:

UNVENTORIED, DET (CANADA) TEGEC (CHINA) BEACH (EUROPEAN UNION)
ATCS (AISTPATTA)

ENCS (JAPAN) ISHI (JAPAN) KECT (KOREA) NZIC (NEW ZEALAND) BIGCS
 IICB (INDONESIA) / EDB (CANADA) / IBBC (CHINA) / NECH (EUROPEAN UNION) /

LINCS (LITHUAN), LIND (LITHUAN), NEVL (NORWAY), NZLOC (NEW ZEALAND), FICCS
/PHILIPINES) ECCT (MALTA) ECCT (ITALY)

(FELDFELINES), 1031 (HAWMAN), 1034 (OSH)

SECTION 16. OTHER INFORMATION

 [top](#)

FURTHER INFORMATION:

NEPA:

HEALTH 2

FLAMMABILITY

INSTABILITY 0

SPECIAL HAZARD.

HMS III:

HEALTH 2

FLAMMABILITY 3

PHYSICAL HAZARD 0

- 0 = NOT SIGNIFICANT
- 1 = SLIGHT
- 2 = MODERATE
- 3 = HIGH
- 4 = EXTREME
- * = CHRONIC

REVISION DATE: 05/20/2020

THE INFORMATION PROVIDED IN THIS SAFETY DATA SHEET IS CORRECT TO THE BEST OF OUR KNOWLEDGE, INFORMATION AND BELIEF AT THE DATE OF ITS PUBLICATION. THE INFORMATION GIVEN IS DESIGNED ONLY AS A GUIDANCE FOR SAFE HANDLING, USE, PROCESSING, STORAGE, TRANSPORTATION, DISPOSAL AND RELEASE AND IS NOT TO BE CONSIDERED A WARRANTY OR QUALITY SPECIFICATION. THE INFORMATION RELATES ONLY TO THE SPECIFIC MATERIAL DESIGNATED AND MAY NOT BE VALID FOR SUCH MATERIAL USED IN COMBINATION WITH ANY OTHER MATERIALS OR IN ANY PROCESS, UNLESS SPECIFIED IN THE TEXT.