

Version 1.0

SDS Number: 400000005951

Revision Date: 04/27/2021

SECTION 1. IDENTIFICATION

Product name GOJO® NATURAL* ORANGE™ Pumice Hand Cleaner

Manufacturer or supplier's details

Company name of supplier

Address

GOJO Industries, Inc. One GOJO Plaza, Suite 500

Akron, Ohio 44311

Telephone

1 (330) 255-6000

Emergency telephone

number

CHEMTREC 1-800-424-9300

CHEMTREC +1-703-527-3887: Outside USA & CANADA

Recommended use of the chemical and restrictions on use

Recommended use

Skin-care

Restrictions on use

This is a personal care or cosmetic product that is safe for consumers and other users under normal and reasonably foreseeable use. Cosmetics and consumer products, specifically defined by regulations around the world, are exempt from the requirement of an SDS for the consumer. While this material is not considered hazardous, this SDS contains valuable information critical to the safe handling and proper use of the product for industrial workplace conditions as well as unusual and unintended exposures such as large spills. This SDS should be retained and available for employees and other users of this product. For specific intended-use guidance, please refer to the information

provided on the package or instruction sheet.

SECTION 2. HAZARDS IDENTIFICATION

GHS Classification

Eye irritation : Category 2A

GHS label elements

Hazard pictograms



Signal word : Warning

Hazard statements : H319 Causes serious eye irritation.

Precautionary statements : Prevention:

P280 Wear eye protection/ face protection.

Response:

P305 + P351 + P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy

to do. Continue rinsing.

P337 + P313 If eye irritation persists: Get medical advice/



Version 1.0 SDS Number: 40000005951 Revision Date: 04/27/2021

attention.

Other hazards

None known.

SECTION 3. COMPOSITION/INFORMATION ON INGREDIENTS

Hazardous components

Chemical name	CAS-No.	Concentration (%)	
Laureth-7	9002-92-0	>= 1 - < 5	
Glycerin	56-81-5	>= 1 - < 5	
Limonene	5989-27-5	>= 0.1 -< 1	

SECTION 4. FIRST AID MEASURES

General advice : In the case of accident or if you feel unwell, seek medical

advice immediately.

When symptoms persist or in all cases of doubt seek medical

advice.

If inhaled If inhaled, remove to fresh air.

If symptoms persist, call a physician.

In case of skin contact Get medical attention if irritation develops and persists.

In case of eye contact In case of contact, immediately flush eyes with plenty of water

for at least 15 minutes.

If easy to do, remove contact lens, if worn.

Seek medical advice.

If swallowed, DO NOT induce vomiting. If swallowed

> Rinse mouth with water. Obtain medical attention. : Causes serious eye irritation.

Most important symptoms

delaved

and effects, both acute and

Protection of first-aiders : First Aid responders should pay attention to self-protection

and use the recommended protective clothing

SECTION 5. FIREFIGHTING MEASURES

Suitable extinguishing media : Use water spray, alcohol-resistant foam, dry chemical or

carbon dioxide.

Unsuitable extinguishing

media

: None known.

Hazardous combustion

products

: Carbon oxides

Specific extinguishing

methods

: Use extinguishing measures that are appropriate to local

circumstances and the surrounding environment.

Use water spray to cool unopened containers.

Collect contaminated fire extinguishing water separately. This Further information

must not be discharged into drains.

Fire residues and contaminated fire extinguishing water must

be disposed of in accordance with local regulations.

Special protective equipment

for firefighters

In the event of fire, wear self-contained breathing apparatus.

Use personal protective equipment.



Version 1.0 SDS Number: 400000005951 Revision Date: 04/27/2021

SECTION 6. ACCIDENTAL RELEASE MEASURES

Personal precautions, protective equipment and emergency procedures : Use personal protective equipment. Ensure adequate ventilation. Evacuate personnel to safe areas.

Evacuate personnel to safe areas.

Material can create slippery conditions.

Environmental precautions : Discharge into the environment must be avoided.

Prevent further leakage or spillage if safe to do so.

Prevent spreading over a wide area (e.g. by containment or oil

barriers).

Retain and dispose of contaminated wash water.

Local authorities should be advised if significant spillages

cannot be contained.

Methods and materials for containment and cleaning up

: Keep in suitable, closed containers for disposal.

Clean contaminated floors and objects thoroughly while

observing environmental regulations.

SECTION 7. HANDLING AND STORAGE

Advice on safe handling : For personal protection see section 8.

Do not swallow.

Avoid contact with eyes.

Keep container closed when not in use. Keep in properly labelled containers.

Conditions for safe storage : Keep in properly labelled containers.

Keep container tightly closed in a dry and well-ventilated

place.

Store in accordance with the particular national regulations.

SECTION 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

Components with workplace control parameters

Components	CAS-No.	Value type (Form of exposure)	Control parameters / Permissible concentration	Basis
Glycerin	56-81-5	TWA (mist, respirable fraction)	5 mg/m3	OSHA Z-1
		TWA (mist, total dust)	15 mg/m3	OSHA Z-1
Limonene	5989-27-5	TWA	20 ppm	ACGIH

Personal protective equipment

Respiratory protection : No personal respiratory protective equipment normally

required.

Eye protection : No special protective equipment required.

Wear face-shield and protective suit for abnormal processing

problems.

Skin and body protection

: No special protective equipment required.

Protective measures : Choose body protection in relation to its type, to the



Version 1.0 SDS Number: 400000005951 Revision Date: 04/27/2021

concentration and amount of dangerous substances, and to

the specific work-place.

Hygiene measures : Handle in accordance with good industrial hygiene and safety

practice.

Avoid contact with eyes.

SECTION 9. PHYSICAL AND CHEMICAL PROPERTIES

Appearance : liquid

Colour : grey, opaque

Odour : citrus

Odour Threshold : No data available

pH : 4.0 - 6.0, (20 °C)

Melting point/freezing point

Initial boiling point and boiling : > 90 °C

range

Flash point

: No data available

: > 100 °C

Evaporation rate : No data available

Flammability (solid, gas) : Not applicable

Flammability (liquids) : No data available

Upper explosion limit : No data available

Lower explosion limit : No data available

Vapour pressure : No data available

Relative vapour density : Not applicable

Density : 1.03 g/cm3

Solubility(ies)

Water solubility : soluble

Partition coefficient: n-

octanol/water

: Not applicable

Auto-ignition temperature : No data available

Thermal decomposition : The substance or mixture is not classified self-reactive.

Viscosity

Viscosity, kinematic : 10000 - 45000 mm2/s (20 °C)

Explosive properties : Not explosive

Oxidizing properties : The substance or mixture is not classified as oxidizing.

SECTION 10. STABILITY AND REACTIVITY



Version 1.0 SDS Number: 400000005951 Revision Date: 04/27/2021

Reactivity

: Not classified as a reactivity hazard.

Chemical stability

: Stable under normal conditions.

Possibility of hazardous

Stable under normal conditions.No dangerous reaction known under conditions of normal use.

reactions

: Oxidizing agents

Incompatible materials
Hazardous decomposition

: No hazardous decomposition products are known.

products

SECTION 11. TOXICOLOGICAL INFORMATION

Information on likely routes of exposure

Inhalation Skin contact Eye contact

Acute toxicity

Not classified based on available information.

Product:

Acute oral toxicity

: Acute toxicity estimate : > 5,000 mg/kg

Method: Calculation method

Components:

Laureth-7:

Acute oral toxicity

: LD50 (Rat): > 500 - 2,000 mg/kg

Remarks: Based on data from similar materials

Acute inhalation toxicity

: LC50 (Rat): > 1.6 mg/l Exposure time: 4 h

Test atmosphere: dust/mist

Remarks: Based on data from similar materials

Acute dermal toxicity

: LD50 (Rat): > 2,000 mg/kg

Remarks: Based on data from similar materials

Glycerin:

Acute oral toxicity

: LD50 (Rat): > 5,000 mg/kg

Limonene:

Acute oral toxicity

: LD50 (Rat): > 2,000 mg/kg

Assessment: The substance or mixture has no acute oral

toxicity

Remarks: Based on data from similar materials

Skin corrosion/irritation

Not classified based on available information.

Components:

Laureth-7: Species: Rabbit

Result: No skin irritation

Remarks: Based on data from similar materials

Glycerin:



Version 1.0 SDS Number: 400000005951 Revision Date: 04/27/2021

Result: No skin irritation

Limonene: Species: Rabbit Result: Skin irritation

Serious eye damage/eye irritation

Causes serious eye irritation.

Components:

Laureth-7: Species: Rabbit

Result: Irreversible effects on the eye

Remarks: Based on data from similar materials

Glycerin:

Result: No eye irritation

Limonene:

Species: Rabbit

Result: No eye irritation

Respiratory or skin sensitisation

Skin sensitisation: Not classified based on available information. Respiratory sensitisation: Not classified based on available information.

Product:

Result: Does not cause skin sensitisation.

Components:

Laureth-7:

Test Type: Maximisation Test (GPMT)

Exposure routes: Skin contact

Species: Guinea pig

Method: OECD Test Guideline 406

Result: negative

Remarks: Based on data from similar materials

Limonene:

Test Type: Local lymph node assay (LLNA)

Exposure routes: Skin contact

Species: Mouse Result: positive

Assessment: Probability or evidence of skin sensitisation in humans

Germ cell mutagenicity

Not classified based on available information.

Components:

Laureth-7:

Genotoxicity in vitro : Test Type: Bacterial reverse mutation assay (AMES)

Method: OECD Test Guideline 471

Result: negative



Version 1.0 SDS Number: 400000005951 Revision Date: 04/27/2021

Remarks: Based on data from similar materials

Glycerin:

Genotoxicity in vitro : Test Type: In vitro mammalian cell gene mutation test

Method: OECD Test Guideline 476

Result: negative

Limonene:

Genotoxicity in vitro : Test Type: In vitro mammalian cell gene mutation test

Result: negative

Genotoxicity in vivo : Test Type: Transgenic rodent somatic cell gene mutation

assay

Test species: Rat

Application Route: Ingestion

Result: negative

Carcinogenicity

Not classified based on available information.

Components:

Glycerin:

Species: Rat

Application Route: Ingestion Exposure time: 2 Years

Result: negative

Limonene:

Species: Mouse

Application Route: Ingestion Exposure time: 103 weeks

Result: negative

IARC No component of this product present at levels greater than or

equal to 0.1% is identified as probable, possible or confirmed

human carcinogen by IARC.

OSHA No component of this product present at levels greater than or

equal to 0.1% is identified as a carcinogen or potential

carcinogen by OSHA.

NTP No component of this product present at levels greater than or

equal to 0.1% is identified as a known or anticipated carcinogen

by NTP.

Reproductive toxicity

Not classified based on available information.

Components:

Glycerin:

Effects on fertility : Test Type: Two-generation reproduction toxicity study

Species: Rat

Application Route: Ingestion

Result: negative



SDS Number: 40000005951 Version 1.0 Revision Date: 04/27/2021

Effects on foetal development

Test Type: Embryo-foetal development

Species: Rabbit

Application Route: Ingestion

Result: negative

STOT - single exposure

Not classified based on available information.

STOT - repeated exposure

Not classified based on available information.

Repeated dose toxicity

Components:

Glycerin:

Species: Rat

NOAEL: 167 mg/m3 LOAEL: 660 mg/m3

Application Route: inhalation (dust/mist/fume)

Exposure time: 13 w Symptoms: Local irritation

Limonene:

Species: Rat NOAEL: 600 mg/kg

Application Route: Ingestion

Exposure time: 13 w

Aspiration toxicity

Not classified based on available information.

Components:

Limonene:

The substance or mixture is known to cause human aspiration toxicity hazards or has to be regarded as if it causes a human aspiration toxicity hazard.

SECTION 12. ECOLOGICAL INFORMATION

Ecotoxicity

Components:

Laureth-7:

Toxicity to fish : LC50 (Danio rerio (zebra fish)): > 1 - 10 mg/l

Exposure time: 96 h

Remarks: Based on data from similar materials

Toxicity to daphnia and other

aquatic invertebrates

: EC50 (Daphnia magna (Water flea)): > 1 - 10 mg/l

Exposure time: 48 h

Remarks: Based on data from similar materials

Toxicity to daphnia and other

aquatic invertebrates (Chronic toxicity)

: NOEC (Daphnia magna (Water flea)): > 0.1 - 1 mg/l

Exposure time: 21 d

Remarks: Based on data from similar materials



Version 1.0 SDS Number: 400000005951 Revision Date: 04/27/2021

Glycerin:

Toxicity to fish LC50 (Oncorhynchus mykiss (rainbow trout)): 54,000 mg/l

Exposure time: 96 h

Toxicity to daphnia and other

aquatic invertebrates

: EC50 (Daphnia magna (Water flea)): 1,955 mg/l

Exposure time: 48 h

Toxicity to bacteria NOEC (Pseudomonas putida): > 10,000 mg/l

Exposure time: 16 h

Limonene:

Toxicity to fish LC50 (Pimephales promelas (fathead minnow)): 0.72 mg/l

Exposure time: 96 h

Toxicity to daphnia and other

aquatic invertebrates

: EC50 (Daphnia magna (Water flea)): 0.36 mg/l

Exposure time: 48 h

Toxicity to algae : ErC50 (Desmodesmus subspicatus (green algae)): 150 mg/l

Exposure time: 72 h

Test substance: Water Accommodated Fraction Remarks: Based on data from similar materials

M-Factor (Acute aquatic

toxicity)

: 1

Persistence and degradability

Components:

Laureth-7:

Biodegradability Result: rapidly degradable

Remarks: Based on data from similar materials

Glycerin:

Biodegradability : Result: Readily biodegradable.

Biodegradation: 94 % Exposure time: 1 d

Limonene:

Biodegradability : Result: Readily biodegradable.

Biodegradation: 80 % Exposure time: 28 d

Remarks: Based on data from similar materials

Bioaccumulative potential

Components:

Laureth-7:

Bioaccumulation : Species: Fish

Bioconcentration factor (BCF): < 500

Remarks: Based on data from similar materials

Glycerin:

Partition coefficient: n-

: log Pow: -1.76

octanol/water

Limonene:

Partition coefficient: n- : log Pow: 4.38



Version 1.0 SDS Number: 400000005951 Revision Date: 04/27/2021

octanol/water

Mobility in soil
No data available

Other adverse effects

No data available

Product:

Regulation 40 CFR Protection of Environment; Part 82 Protection of

Stratospheric Ozone - CAA Section 602 Class I Substances

Remarks This product neither contains, nor was manufactured with a

Class I or Class II ODS as defined by the U.S. Clean Air Act

Section 602 (40 CFR 82, Subpt. A, App.A + B).

SECTION 13. DISPOSAL CONSIDERATIONS

Disposal methods

Waste from residues Contaminated packaging : Dispose of in accordance with local regulations.

: Dispose of as unused product.

Empty containers should be taken to an approved waste

handling site for recycling or disposal.

SECTION 14. TRANSPORT INFORMATION

International Regulation

IATA-DGR

Not regulated as a dangerous good

IMDG-Code

Not regulated as a dangerous good

National Regulations

49 CFR

Not regulated as a dangerous good

SECTION 15. REGULATORY INFORMATION

EPCRA - Emergency Planning and Community Right-to-Know Act

SARA 311/312 Hazards

: Acute Health Hazard

SARA 302

: No chemicals in this material are subject to the reporting

requirements of SARA Title III, Section 302.

SARA 313

: This material does not contain any chemical components with known CAS numbers that exceed the threshold (De Minimis) reporting levels established by SARA Title III, Section 313.

Clean Air Act

This product does not contain any hazardous air pollutants (HAP), as defined by the U.S. Clean Air Act Section 12 (40 CFR 61).



Version 1.0 SDS Number: 400000005951 Revision Date: 04/27/2021

This product does not contain any chemicals listed under the U.S. Clean Air Act Section 112(r) for Accidental Release Prevention (40 CFR 68.130, Subpart F).

The following chemical(s) are listed under the U.S. Clean Air Act Section 111 SOCMI Intermediate or Final VOC's (40 CFR 60.489):

Glycerin

56-81-5

1 %

This product does not contain any VOC exemptions listed under the U.S. Clean Air Act Section 450.

California Prop 65

This product does not require a warning label under California

Proposition 65.

The components of this product are reported in the following inventories:

TSCA

: On TSCA Inventory

AICS

: On the inventory, or in compliance with the inventory

DSL

: On the inventory, or in compliance with the inventory

ENCS

: On the inventory, or in compliance with the inventory

ISHL

: On the inventory, or in compliance with the inventory

KECI

: On the inventory, or in compliance with the inventory

PICCS

: On the inventory, or in compliance with the inventory

IECSC

: On the inventory, or in compliance with the inventory

NZIoC

: On the inventory, or in compliance with the inventory

Inventories

AICS (Australia), DSL (Canada), IECSC (China), REACH (European Union), ENCS (Japan), ISHL (Japan), KECI (Korea), NZIoC (New Zealand), PICCS (Philippines), TCSI (Taiwan), TSCA (USA)



Version 1.0


SDS Number: 40000005951

Revision Date: 04/27/2021

SECTION 16. OTHER INFORMATION

Further information

NFPA:



Special hazard.

HMIS III:

HEALTH	2
FLAMMABILITY	1
PHYSICAL HAZARD	0

0 = not significant, 1 = Slight,

2 = Moderate, 3 = High 4 = Extreme, * = Chronic

Revision Date

: 04/27/2021

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.