

## Niagara™ White Polishing Pad 4100N, 17 in, 5/Case

UPC #: 00048011350608, 3M Catalog #: 4100N-17, 3M Stock #: 7010314951,  
Previous 3M Stock #: 70071165735, Your Catalog #: Manage



Make To Order | **In Stock**

Est. Lead Time: 2 Working Days

- Conventional speed (175 600 RPMs)
- For use on most finished wood floors
- Buff very soft finishes
- The polishing pad is washable and reusable
- For use with low-speed floor machines on many types of floors including wood
- Reduces the number of stripping and recoating events

## Specifications

\* Smallest Saleable Unit

### Details

<b>Application</b>	Buffing Polishing
<b>Brand</b>	Niagara™
<b>eClass 14 Classification Group</b>	29110102
<b>Factory ISO Certification</b>	No ISO Certification information available
<b>Grade</b>	Fine

<b>Overall Diameter (Imperial)</b>	17 in
<b>Overall Diameter (Metric)</b>	431.8 mm
<b>Product Color</b>	White
<b>Shape</b>	Round
<b>Smallest Saleable Unit*</b>	Case

## Dimensions and Classifications

<b>Case Gross Weight*</b>	2.736 US pound
<b>Case Height*</b>	5.8 Inch
<b>Case Length*</b>	17.7 Inch
<b>Case Width*</b>	17.4 Inch
<b>Each Gross Weight</b>	0.547 US pound
<b>Pallet Gross Weight</b>	156.5 US pound
<b>Pallet Height</b>	1.4 Yard
<b>Pallet Length</b>	1.3 Yard
<b>Pallet Width</b>	1.2 Yard
<b>ECCN</b>	EAR99
<b>Harmonized Code</b>	5911900080

## Packaging and Identifications

<b>Primary Shipping Location</b>	PRAIRIE DU CHIEN, Wisconsin
<b>Country of Origin</b>	USA
<b>Country of Origin Disclaimer</b>	This is to advise you that as of this date, the Country of Origin for the product(s) displayed is as follows. This origin is for purposes of Normal Trade Relations (NTR) duty treatment, is for import/export documentation only, and is not intended to be used for any other purpose such as sales to government entities or Free Trade Agreement eligibility. Government procurement laws and Free Trade Agreements require application of specific criteria that may result in a different Country of Origin than indicated. These determinations are specific to Solventum ID.
<b>UPC/EAN – Shipper (Case)*</b>	00048011350608
<b>per Case*</b>	5 Each
<b>per Pallet</b>	220 Each

## Transportation

<b>Transport Protective Service</b>	PROTECTIVE SERVICE NOT REQUIRED
<b>NMFC Item</b>	149240
<b>NMFC Sub</b>	03
<b>NMFC Class</b>	250.0
<b>Flash Point</b>	No Flash Point
<b>United States Department of Transportation - Ground (US DOT, 49 CFR)</b>	NOT REGULATED
<b>United States Department of Transportation - Vessel (US DOT, 49 CFR)</b>	NOT REGULATED
<b>International Air Transport Association (IATA)</b>	NOT REGULATED
<b>International Maritime Organization (IMO)</b>	NOT REGULATED
<b>Transportation Disclaimer</b>	These transportation classifications are provided as a customer service. AS THE SHIPPER YOU REMAIN RESPONSIBLE FOR COMPLYING WITH ALL THE APPLICABLE LAWS AND REGULATIONS, INCLUDING PROPER TRANSPORTATION CLASSIFICATION AND PACKAGING. 3M's transportation classifications are based on product formulations, packaging, 3M policies and 3M's understanding of applicable current regulations and is valid for the original 3M package only. 3M does not guarantee the accuracy of this classification information. This information applies only to transportation classification and NOT THE PACKAGING, LABELING OR MARKING REQUIREMENTS. The original 3M package is certified for U.S. ground shipment only. If you are shipping by air or ocean, the package may not meet applicable regulatory requirements.
<b>Air Shipping Available</b>	Yes
<b>Dry Ice Shipping Required</b>	No

## Details

- Conventional speed (175 600 RPMs)
- For use on most finished wood floors
- Buff very soft finishes
- The polishing pad is washable and reusable
- For use with low-speed floor machines on many types of floors including wood
- Reduces the number of stripping and recoating events

For buffing very soft finishes or for polishing soft waxes on wood floors

Equipment Type: Rotary or Automatic Machine Speed: Low Speed, 175 600 RPM