SDS#074 ITEM#699138

Safety Data Sheet

according to Hazard Communication Standard; 29 CFR 1910.1200



SC Johnson Professional Glade Fabric and Air Odor Control - Clear Springs#MMC File --

Version 2.0

Print Date 09/18/2017

Revision Date 07/21/2015

SDS Number 350000014339

1. PRODUCT AND COMPANY IDENTIFICATION

Product information

Product name

SC Johnson Professional Glade Fabric and Air Odor

Control - Clear Springs TM/MC

Recommended use

Speciality Cleaner

Manufacturer, importer,

supplier

S.C. Johnson & Son, Inc.

1525 Howe Street

Racine WI 53403-2236

Telephone

+18005585252

Emergency telephone number

24 Hour Medical Emergency Phone: (866)231-5406 24 Hour International Emergency Phone: (703)527-3887

24 Hour Transport Emergency Phone: (800)424-9300

2. HAZARDS IDENTIFICATION

Classification of the substance or mixture

Globally Harmonized System (GHS) Classification

Hazard classification	Hazard category	Hazards identification
Flammable liquids	Category 3	Flammable liquid and vapour.
Eye irritation	Category 2B	Causes eye irritation.

Labelling

Hazard symbols

Flame

Signal word

Warning

Hazard statements

Flammable liquid and vapour.

Causes eye irritation.

Precautionary statements

If medical advice is needed, have product container or label at hand.

Keep out of reach of children.

according to Hazard Communication Standard; 29 CFR 1910.1200



SC Johnson Professional Glade Fabric and Air Odor Control - Clear.

Version 2.0

Print Date 09/18/2017

Revision Date 07/21/2015

SDS Number 350000014339

Read label before use.

IF ON SKIN (or hair): Remove/ Take off immediately all contaminated clothing. Rinse skin with water/ shower.

IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.

If eye irritation persists: Get medical advice/ attention.

In case of fire: Use foam for extinction.

Store in a well-ventilated place. Keep cool.

Dispose of contents/ container to an approved incineration plant.

Keep away from heat/sparks/open flames/hot surfaces. No smoking.

Keep container tightly closed.

Ground/bond container and receiving equipment.

Use only non-sparking tools.

Take precautionary measures against static discharge.

Wear protective gloves

Wash hands thoroughly after handling.

Use explosion-proof electrical/ ventilating/ lighting/ equipment.

Other hazards

None identified

3. COMPOSITION/INFORMATION ON INGREDIENTS

Ethyl alcohol	64	17-5	5.00 - 10.00
Triethylene glycol	1′	2-27-6	1.00 - 5.00
Didecyldimethylammonium chloride	7	73-51-5	0.10 - 1.00

The specific chemical identity and/or exact percentage (concentration) of this composition has been withheld as a trade secret.

For additional information on product ingredients, see www.whatsinsidescjohnson.com.

4. FIRST AID MEASURES

Eye contact

: IF IN EYES: Rinse cautiously with water for several minutes.

Remove contact lenses, if present and easy to do. Continue rinsing. If eye irritation persists: Get medical advice/ attention.

Skin contact

IF ON \$KIN (or hair): Take off immediately all contaminated

according to Hazard Communication Standard; 29 CFR 1910.1200



SC Johnson Professional Glade Fabric and Air Odor Control - Clear Springs TM/MC

Version 2.0

Print Date 09/18/2017

Revision Date 07/21/2015

SDS Number 350000014339

clothing. Rinse skin with water/shower.

Inhalation

: No special requirements.

Ingestion

No special requirements

5. FIREFIGHTING MEASURES

Suitable extinguishing

media

Use water spray, alcohol-resistant foam, dry chemical or

carbon dioxide.

Specific hazards during

firefighting

Flammable liquid. Vapors are heavier than air and may travel

to a source of ignition and flash back. Liquid run-off to sewers may create fire/explosion hazard. Container may melt and leak

in heat of fire.

Further information : Cool and use caution when approaching or handling fire-

exposed containers. For large quantities of flammable liquids, consider containment to prevent the spread of fire. Wear full protective clothing and positive pressure self-contained breathing apparatus. In case of fire and/or explosion do not

breathe fumes.

6. ACCIDENTAL RELEASE MEASURES

Personal precautions

Remove all sources of ignition.

Beware of vapours accumulating to form explosive concentrations. Vapours can accumulate in low areas.

Wear personal protective equipment. Wash thoroughly after handling.

Environmental precautions

Outside of normal use, avoid release to the environment.

Methods and materials for containment and cleaning up Soak up with inert absorbent material. Use only non-sparking equipment.

Dike large spills.

Clean residue from spill site.

according to Hazard Communication Standard; 29 CFR 1910.1200



SC Johnson Professional Glade Fabric and Air Odor Control - Clear Springs TM/MC

Version 2.0

Print Date 09/18/2017

Revision Date 07/21/2015

SDS Number 350000014339

7. HANDLING AND STORAGE

Handling

Precautions for safe

handling

Avoid contact with skin, eyes and clothing.

For personal protection see section 8.

Use only as directed.

KEER OUT OF REACH OF CHILDREN AND PETS.

Wash thoroughly after handling.

Advice on protection

against fire and explosion

Keep away from sources of ignition - No smoking.

Take measures to prevent the build up of electrostatic charge.

Use only non-sparking tools.
Use explosion-proof equipment.

Ground/bond container and receiving equipment.

Storage

Requirements for storage areas and containers

.

Keep container closed when not in use.

Keep lightly closed.

Store in a well-ventilated place. Keep cool.

8. EXPOSURE CONTROLS/PERSONAL PROTECTION

Occupational Exposure Limits

TO Clarge of the Communication			en de la composition	RELEASED IN	Basin and Basin
Ethyl alcohol	64-17-5	1,900 mg/m3	1,000 ppm	-	OSHA TWA
Ethyl alcohol	64-17-5	-	1,000 ppm	-	ACGIH STEL

Personal protective equipment

Respiratory protection

No special requirements.

Hand protection

A Maria Control Control

No special requirements.

according to Hazard Communication Standard; 29 CFR 1910.1200



SC Johnson Professional Glade Fabric and Air Odor Control - Clear Springs TM/MC

Version 2.0

Print Date 09/18/2017

Revision Date 07/21/2015

SDS Number 350000014339

Eye protection

Safety glasses with side-shields

Skin and body protection

No special requirements.

Hygiene measures

Handle in accordance with good industrial hygiene and safety

practice. Wash thoroughly after handling.

9. PHYSICAL AND CHEMICAL PROPERTIES

Form

liquid

Color

clear

Odor

pleasant

Odour Threshold

: No data available

рΗ

4.0 - 6.0

Melting point/freezing point

: No data available

Initial boiling point and

boiling range

: No dalla available

Flash point

: 54 °C

129.2 F

Evaporation rate

: No data available

Flammability (solid, gas)

: No data available

Upper/lower flammability or

explosive limits

: No data available

according to Hazard Communication Standard; 29 CFR 1910.1200



SC Johnson Professional Glade Fabric and Air Odor Control - Clear Springs TM/MC

Version 2.0

Revision Date 07/21/2015

Print Date 09/18/2017

SDS Number 350000014339

Vapour pressure

: No data available

Vapour density

: No data available

Relative density

: 0.9905 g/cm3 at 20 C

Solubility(ies)

: soluble

Partition coefficient: n-

octanol/water

: No data available

Auto-ignition temperature

: No data available

Decomposition temperature

: No data available

Viscosity, dynamic

: No data available

Viscosity, kinematic

: No data available

Oxidizing properties

: No data available

Volatile Organic

6.1 % - additional exemptions may apply

Compounds
Total VOC (wt. %)*

*as defined by US Federal and State Consumer Product

Regulations

Other information

: None Identified

10. STABILITY AND REACTIVITY

according to Hazard Communication Standard; 29 CFR 1910.1200



SC Johnson Professional Glade Fabric and Air Odor Control - Clear Springs TM/MC

Version 2.0

Print Date 09/18/2017

Revision Date 07/21/2015

SDS Number 350000014339

Possibility of hazardous

reactions

: Stable under recommended storage conditions.

Conditions to avoid

: Heat flames and sparks.

Incompatible materials

: Strong oxidizing agents

Hazardous decomposition

products

: Thermal decomposition can lead to release of irritating gases

and vapours.

11. TOXICOLOGICAL INFORMATION

Emergency Overview

Warning

Acute oral toxicity

LD50

estimated

> 5,000 mg/kg

Acute inhalation toxicity

LC50

estimated

> 5.2\$ mg/l

Acute dermal toxicity

LD50

estimated

> 5,000 mg/kg

GHS Properties	Classificatio	n	Routes of entry
Acute toxicity	No classificat	on proposed	Oral
Acute toxicity	No classificati	on proposed	Dermal
Acute toxicity	No classificati	on proposed	Inhalation - Dust and Mist
Acute toxicity	No classificati	on proposed	Inhalation - Vapour
Acute toxicity	No classificati	on proposed	Inhalation - Gas

according to Hazard Communication Standard; 29 CFR 1910.1200



SC Johnson Professional Glade Fabric and Air Odor Control - Clear Springs TM/MC

Version 2.0

Print Date 09/18/2017

Revision Date 07/21/2015

SDS Number 350000014339

Skin corrosion/irritation	No classifica	ion proposed	-
Eye irritation	Category 2B		-
Skin sensitisation	No classifica	ion proposed	-
Respiratory sensitisation	No classifica	on proposed	-
Germ cell mutagenicity	No classificat	on proposed	-
Carcinogenicity	No classificat	on proposed	-
Reproductive toxicity	No classificat	on proposed	-
Specific target organ toxicity - single exposure	No classificat	on proposed	-
Specific target organ toxicity - repeated exposure	No classificat	on proposed	-
Aspiration hazard	No classificat	оп proposed	-

Aggravated Medical Condition

: None known.

12. ECOLOGICAL INFORMATION

Product: The product itself has not been tested.

Toxicity

The ingredients in this formula have been reviewed and no adverse impact to the environment is expected when used according to label directions.

Toxicity to fish

Components	End point	Species	Value	Exposure
Ethyl alcohol	flow- through	Pimephales promelas (fathead minnow)	14,200 mg/l	96 h

according to Hazard Communication Standard; 29 CFR 1910.1200



SC Johnson Professional Glade Fabric and Air Odor Control - Clear Springs TM/MC

Version 2.0

Revision Date 07/21/2015

Print Date 09/18/2017

SDS Number 350000014339

	test	LC50			Т
	test	LC30			
Triethylene glycol	stati LC5	c test 0	Lepomis macrochirus	10,000 mg/l	96 h
Didecyldimethylammonium chloride	sem station LC50	test	Danio rerio (zebra fish)	0.49 mg/l	96 h

Toxicity to aquatic invertebrates

Components	End	oint	Species	Value	Exposure time
Ethyl alcohol	static EC50		Daphnia magna (Water flea)		48 h
				2 mg/l	
	NOE	C	Daphnia magna	9.6 mg/l	9 d
Triethylene glycol	static EC50		Daphnia magna (Water flea)	> 10,000 mg/l	48 h
Didecyldimethylammonium chloride	static EC50		Daphnia magna (Water flea)	0.029 mg/l	48 h
and the same of th	NOE		Daphnia magna	0.021 mg/l	21 d

according to Hazard Communication Standard; 29 CFR 1910.1200



SC Johnson Professional Glade Fabric and Air Odor Control* - Clear Springs TM/MC

Version 2.0

Revision Date 07/21/2015

Print Date 09/18/2017

SDS Number 350000014339

Toxicity to aquatic plants

Components	Endp	oint	Species	Value	Exposure time
Ethyl alcohol	Static EC50		Chlorella vulgaris (Fresh water algae)	275 mg/l	72 h
Triethylene glycol	No data availab				
Didecyldimethylammonium chloride	static to EC50 OECD Test Guideli 201		Pseudokirchneriella subcapitata (microalgae)	0.053 mg/l	96 h

Persistence and degradability

Component	Biodeg	radation	Exposure time	Summary
Ethyl alcohol	97 %		28 d	Readily biodegradable
Triethylene glycol	No data	a available	- 	
Didecyldimethylammonium chloride	69 %		28 d	Readily biodegradable

Bioaccumulative potential

Component	Bioconcentration factor (BCF)	Partition Coefficient n- Octanol/water (log)
Ethyl alcohol	3.2 estimated	-0.35 Measured
Triethylene glycol	No data available	-1.75
Didecyldimethylammonium chloride	929.2	2.58

according to Hazard Communication Standard; 29 CFR 1910.1200



SC Johnson Professional Glade Fabric and Air Odor Control - Clear Springs TM/MC

Version 2.0

Print Date 09/18/2017

Revision Date 07/21/2015

SDS Number 350000014339

Mobility

Component	End	point	Value	
Ethyl alcohol	No	ata available		
Triethylene glycol	log	(oc	1	
Didecyldimethylammonium chloride	Koc	_	667 - 24433	:

PBT and vPvB assessment

Component	Results	
Ethyl alcohol	Not ulfilling PBT and vPvB criteria	
Triethylene glycol	Not fulfilling PBT and vPvB criteria	
Didecyldimethylammonium chloride	Not fulfilling PBT and vPvB criteria	

Other adverse effects

None known.

13. DISPOSAL CONSIDERATIONS

Consumer may discard empty container in trash, or recycle where facilities exist.

14. TRANSPORT INFORMATION

Please refer to the Bill of Lading/receiving documents for up-to-date shipping information.

11/13次 (1)

according to Hazard Communication Standard; 29 CFR 1910.1200



SC Johnson Professional Glade Fabric and Air Odor Control - Clear Springs TM/MC

Version 2.0

Print Date 09/18/2017

Revision Date 07/21/2015

SDS Number 350000014339

<u> </u>	Land transport		Sea transport	Air transport
UN number	1993		1993	1993
UN proper shipping name	UN 1993 Flammal liquid, N.O.S. (Eth alcohol)		UN 1993 Flammable liquid, N.O.S. (Ethylalcohol)	UN 1993 Flammable liquid, N.O.S. (Ethylalcohol)
Transport hazard class(es)	3		3	3
Packing group	III		[]]	111
Environmental hazards	-		-	-
Special precautions for user	Limited quantities derogation may be applicable to this product, please ch transport documer	eck	Limited quantities derogation may be applicable to this product, please check transport documents.	Limited quantities derogation may be applicable to this product, please check transport documents.

15. REGULATORY INFORMATION

Notification status

: All ingredients of this product are listed or are excluded from

listing on the U.S. Toxic Substances Control Act (TSCA)

Chemical Substance Inventory.

Notification status

All ingredients of this product comply with the New Substances

Notification requirements under the Canadian Environmental

Protection Act (CEPA).

California Prop. 65

This product is not subject to the reporting requirements under

California's Proposition 65.

according to Hazard Communication Standard; 29 CFR 1910.1200



SC Johnson Professional Gla Springs TM/MC	ade Fabric and Air Odor Control - Clear
Version 2.0	Print Date 09/18/2017
Revision Date 07/21/2015	SDS Number 350000014339
16. OTHER INFORMATION HMIS Ratings	
Health	1
Flammability	2
Reactivity	0
NFPA Ratings	
Health	1
Fire	2
Reactivity	0
Special	-

This information is being provided in accordance with the Occupational Safety and Health Administration (OSHA) regulation (29 CFR 1910.1200). The information supplied is designed for workplaces where product use and frequency of exposure exceeds that established for the labeled consumer use.

Further information

This document has been prepared using data from sources considered to be technically reliable. It does not constitute a warranty, expressed or implied, as to the accuracy of the information contained herein. Actual conditions of use are beyond the information when using product for any particular use and to comply with all Federal, State, Provincial and Local laws and regulations.

Prepared by	SC Johnso	n Global Safety Assessment &
	Regulatory	Affairs (GSARA)