



Safety Data Sheet  
acc. to OSHA HCS

SDS# 126 ITEM# SP367238  
1/9

Printing date 02/18/2016

Reviewed on 01/26/2015

## 1 Identification

- **Product identifier**
- **Trade name:** Diamond CRT Safety Bleach
- **Article number:** 7233
- **Application of the substance / the mixture** Oxygen Bleach, Laundry
- **Details of the supplier of the safety data sheet**
- **Manufacturer/Supplier:**  
DIAMOND CHEMICAL COMPANY, INC.  
Corporate Headquarters  
Union Ave & DuBois Street  
East Rutherford, NJ 07073  
USA  
Telephone: 201-935-4300
- **Information department:** Product safety department
- **Emergency telephone number:** INFOTRAC - 1-800-535-5053

## 2 Hazard(s) identification

- **Label elements**
- **GHS label elements**  
The product is classified and labeled according to the Globally Harmonized System (GHS).
- **Hazard pictograms**



GHS03 GHS05

- **Signal word** Danger
- **Hazard statements**  
May cause fire or explosion; strong oxidizer.  
Causes serious eye damage.
- **Precautionary statements**  
Take any precaution to avoid mixing with combustibles.  
Wear fire/flamm resistant/retardant clothing.  
Keep/Store away from clothing and other combustible materials  
Wear protective gloves / eye protection / face protection.  
If in eyes: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.  
Immediately call a POISON CENTER/doctor.  
If on clothing: Rinse immediately contaminated clothing and skin with plenty of water before removing clothes.  
In case of major fire and large quantities: Evacuate area. Fight fire remotely due to the risk of explosion.  
In case of fire: Use for extinction: CO2, powder or water spray.  
Dispose of contents/container in accordance with local/regional/national/international regulations.

(Contd. on page 2)

US



# Safety Data Sheet

acc. to OSHA HCS

Printing date 02/18/2016

Reviewed on 01/26/2015

**Trade name: Diamond CRT Safety Bleach**

- Classification system:
- NFPA ratings (scale 0 - 4)

(Contd. of page 1)



Health = 2  
Fire = 3  
Reactivity = 0

The substance possesses oxidizing properties.

- HMIS-ratings (scale 0 - 4)



Health = 2  
Fire = 3  
Reactivity = 0

- Other hazards
- Results of PBT and vPvB assessment
- PBT: Not applicable.
- vPvB: Not applicable.

## 3 Composition/information on ingredients

- Chemical characterization: Mixtures
- Description: Mixture of the substances listed below with nonhazardous additions.

- Components:

7722-84-1	hydrogen peroxide solution	Prop. %
-----------	----------------------------	---------

## 4 First-aid measures

- Description of first aid measures
- General information:  
Symptoms of poisoning may even occur after several hours; therefore medical observation for at least 48 hours after the accident.
- After inhalation: Supply fresh air; consult doctor in case of complaints.
- After skin contact: Immediately rinse with water.
- After eye contact: Rinse opened eye for several minutes under running water. Then consult a doctor.
- After swallowing: Immediately call a doctor.
- Information for doctor:  
Most important symptoms and effects, both acute and delayed  
No further relevant information available.
- Indication of any immediate medical attention and special treatment needed  
No further relevant information available.

## 5 Fire-fighting measures

- Extinguishing media
- Suitable extinguishing agents:  
CO<sub>2</sub>, extinguishing powder or water spray. Fight larger fires with water spray or alcohol resistant foam.

(Contd. on page 3)



## Safety Data Sheet

acc. to OSHA HCS

Printing date 02/18/2016

Reviewed on 01/26/2015

**Trade name: Diamond CRT Safety Bleach**

- (Contd. of page 2)
- **Special hazards arising from the substance or mixture** No further relevant information available.
  - **Advice for firefighters**
  - **Protective equipment:** No special measures required.

### 6 Accidental release measures

- **Personal precautions, protective equipment and emergency procedures** Not required.
- **Environmental precautions:**
  - Dilute with plenty of water.
  - Do not allow to enter sewers/ surface or ground water.
- **Methods and material for containment and cleaning up:**
  - Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders, sawdust).
  - Dispose contaminated material as waste according to item 13.
  - Ensure adequate ventilation.
- **Reference to other sections**
  - See Section 7 for information on safe handling.
  - See Section 8 for information on personal protection equipment.
  - See Section 13 for disposal information.

### 7 Handling and storage

- **Handling:**
- **Precautions for safe handling**
  - Ensure good ventilation/exhaustion at the workplace.
  - Prevent formation of aerosols.
- **Information about protection against explosions and fires:** No special measures required.
- **Conditions for safe storage, including any incompatibilities**
- **Storage:**
- **Requirements to be met by storerooms and receptacles:** No special requirements.
- **Information about storage in one common storage facility:** Not required.
- **Further information about storage conditions:** Keep receptacle tightly sealed.
- **Specific end use(s)** No further relevant information available.

### 8 Exposure controls/personal protection

- **Additional information about design of technical systems:** No further data; see item 7.
- **Control parameters**

· **Components with limit values that require monitoring at the workplace:**

**7722-84-1 hydrogen peroxide solution**


PEL Long-term value: 1.4 mg/m<sup>3</sup>, 1 ppm

REL Long-term value: 1.4 mg/m<sup>3</sup>, 1 ppm

TLV Long-term value: 1.4 mg/m<sup>3</sup>, 1 ppm

- **Additional information:** The lists that were valid during the creation were used as basis.

(Contd. on page 4)



## Safety Data Sheet

acc. to OSHA HCS

Printing date 02/18/2016

Reviewed on 01/26/2015

**Trade name: Diamond CRT Safety Bleach**

(Contd. of page 3)

- **Exposure controls**
- **Personal protective equipment:**
- **General protective and hygienic measures:**
  - Keep away from foodstuffs, beverages and feed.
  - Immediately remove all soiled and contaminated clothing.
  - Wash hands before breaks and at the end of work.
  - Avoid contact with the eyes.
- **Breathing equipment:**
  - In case of brief exposure or low pollution use respiratory filter device. In case of intensive or longer exposure use respiratory protective device that is independent of circulating air.
- **Protection of hands:**



Protective gloves

The glove material has to be impermeable and resistant to the product/ the substance/ the preparation. Due to missing tests no recommendation to the glove material can be given for the product/ the preparation/ the chemical mixture.

Selection of the glove material on consideration of the penetration times, rates of diffusion and the degradation

**Material of gloves**

The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer. As the product is a preparation of several substances, the resistance of the glove material can not be calculated in advance and has therefore to be checked prior to the application.

**Penetration time of glove material**

The exact break through time has to be found out by the manufacturer of the protective gloves and has to be observed.

**Eye protection:**

Tightly sealed goggles

### 9 Physical and chemical properties

**Information on basic physical and chemical properties****General Information****Appearance:****Form:**

In water

**Color:**

Colorless

**Odor:**

undistinguishable

**Odor threshold:**

Not determined.

**pH-value at 20 °C (68 °F):**

3.5

**Change in condition****Melting point/Melting range:**

Undetermined.

(Contd. on page 5)

US

**Safety Data Sheet**  
acc. to OSHA HCS

Printing date 02/18/2016

Reviewed on 01/26/2015

**Trade name: Diamond CRT Safety Bleach**

(Contd. of page 4)

<b>Boiling point/Boiling range:</b>	100 °C (212 °F)
· <b>Flash point:</b>	Not applicable.
· <b>Flammability (solid, gaseous):</b>	Not applicable.
· <b>Ignition temperature:</b>	
<b>Decomposition temperature:</b>	Not determined.
· <b>Auto igniting:</b>	Product is not selfigniting.
· <b>Danger of explosion:</b>	Product does not present an explosion hazard.
· <b>Explosion limits:</b>	
Lower:	Not determined.
Upper:	Not determined.
· <b>Vapor pressure at 20 °C (68 °F):</b>	23 hPa (17 mm Hg)
· <b>Density at 20 °C (68 °F):</b>	1.08 g/cm <sup>3</sup> (9.013 lbs/gal)
· <b>Relative density</b>	Not determined.
· <b>Vapor density</b>	Not determined.
· <b>Evaporation rate</b>	Not determined.
· <b>Solubility in / Miscibility with Water:</b>	Fully miscible.
· <b>Partition coefficient (n-octanol/water):</b>	Not determined.
· <b>Viscosity:</b>	
Dynamic:	Not determined.
Kinematic:	Not determined.
· <b>Other information</b>	No further relevant information available.

**10 Stability and reactivity**

- **Reactivity** No further relevant information available.
- **Chemical stability**
- **Thermal decomposition / conditions to be avoided:**  
No decomposition if used according to specifications.
- **Possibility of hazardous reactions** No dangerous reactions known.
- **Conditions to avoid** No further relevant information available.
- **Incompatible materials:** No further relevant information available.
- **Hazardous decomposition products:** No dangerous decomposition products known.

**11 Toxicological information**

- **Information on toxicological effects**
- **Acute toxicity:**
- **Primary irritant effect:**
  - **on the skin:** No irritant effect.
  - **on the eye:** Strong irritant with the danger of severe eye injury.

(Contd. on page 6)

US

**Safety Data Sheet**  
acc. to OSHA HCS

Printing date 02/18/2016

Reviewed on 01/26/2015

**Trade name: Diamond CRT Safety Bleach**

(Contd. of page 5)

· **Sensitization:** No sensitizing effects known.· **Additional toxicological information:**

The product shows the following dangers according to internally approved calculation methods for preparations:

Harmful

Irritant

· **Carcinogenic categories**· **NTP (National Toxicology Program)**

None of the ingredients is listed.

· **OSHA-Ca (Occupational Safety & Health Administration)**

None of the ingredients is listed.

**12 Ecological information**· **Toxicity**· **Aquatic toxicity:** No further relevant information available.· **Persistence and degradability** No further relevant information available.· **Behavior in environmental systems:**· **Bioaccumulative potential** No further relevant information available.· **Mobility in soil** No further relevant information available.· **Additional ecological information:**· **General notes:**

Water hazard class 1 (Self-assessment): slightly hazardous for water

Do not allow undiluted product or large quantities of it to reach ground water, water course or sewage system.

· **Results of PBT and vPvB assessment**· **PBT:** Not applicable.· **vPvB:** Not applicable.· **Other adverse effects** No further relevant information available.**13 Disposal considerations**· **Waste treatment methods**· **Recommendation:**

Must not be disposed of together with household garbage. Do not allow product to reach sewage system.

· **Uncleaned packagings:**· **Recommendation:** Disposal must be made according to official regulations.· **Recommended cleansing agent:** Water, if necessary with cleansing agents.**14 Transport information**· **UN-Number**· **DOT**

UN2014

(Contd. on page 7)

US



**Safety Data Sheet**  
acc. to OSHA HCS

Printing date 02/18/2016

Reviewed on 01/26/2015

**Trade name: Diamond CRT Safety Bleach**

(Contd. of page 6)

· IMDG, IATA	UN2984
· UN proper shipping name	
· DOT, IATA	Hydrogen peroxide, aqueous solutions
· IMDG	HYDROGEN PEROXIDE, AQUEOUS SOLUTION
· Transport hazard class(es)	
· DOT	
	
· Class	5.1 Oxidizing substances
· Label	5.1
· IMDG, IATA	
	
· Class	5.1 Oxidizing substances
· Label	5.1
· Packing group	
· DOT, IMDG, IATA	III
· Environmental hazards:	
· Marine pollutant:	No
· Special precautions for user	Warning: Oxidizing substances
· Danger code (Kemler):	50
· EMS Number:	F-H,S-Q
· Stowage Category	B
· Stowage Code	SW1 Protected from sources of heat.
· Segregation Code	SG16 Stow "separated from" class 4.1 SG59 Stow "separated from" permanganates SG72 See 7.2.6.3.2.
· Transport in bulk according to Annex II of MARPOL73/78 and the IBC Code	Not applicable.
· Transport/Additional information:	
· DOT	
· Quantity limitations	On passenger aircraft/rail: 2.5 L On cargo aircraft only: 30 L
· IMDG	
· Limited quantities (LQ)	5L

(Contd. on page 8)

US

**Safety Data Sheet**  
acc. to OSHA HCS

Printing date 02/18/2016

Reviewed on 01/26/2015

**Trade name: Diamond CRT Safety Bleach**

(Contd. of page 7)

**· Excepted quantities (EQ)**

Code: E1

Maximum net quantity per inner packaging: 30 ml

Maximum net quantity per outer packaging: 1000 ml

**· UN "Model Regulation":**UN 2014 HYDROGEN PEROXIDE, AQUEOUS  
SOLUTIONS, 5.1, III**15 Regulatory information**

- Safety, health and environmental regulations/legislation specific for the substance or mixture
- Sara

**· Section 355 (extremely hazardous substances):**

7722-84-1 | hydrogen peroxide solution

**· Proposition 65****· Chemicals known to cause cancer:**

None of the ingredients is listed.

**· Chemicals known to cause reproductive toxicity for females:**

None of the ingredients is listed.

**· Chemicals known to cause reproductive toxicity for males:**

None of the ingredients is listed.

**· Chemicals known to cause developmental toxicity:**

None of the ingredients is listed.

**· Carcinogenic categories****· EPA (Environmental Protection Agency)**

None of the ingredients is listed.

**· TLV (Threshold Limit Value established by ACGIH)**

7722-84-1 | hydrogen peroxide solution

A3

**· NIOSH-Ca (National Institute for Occupational Safety and Health)**

None of the ingredients is listed.

**· GHS label elements**

The product is classified and labeled according to the Globally Harmonized System (GHS).

**· Hazard pictograms**

GHS03 GHS05

**· Signal word Danger****· Hazard statements**

May cause fire or explosion; strong oxidizer.

Causes serious eye damage.

**· Precautionary statements**

Take any precaution to avoid mixing with combustibles.

(Contd. on page 9)

US





## Safety Data Sheet

acc. to OSHA HCS

Printing date 02/18/2016

Reviewed on 01/26/2015

**Trade name: Diamond CRT Safety Bleach**

(Contd. of page 8)

Wear fire/flammable resistant/retardant clothing.

Keep/Store away from clothing and other combustible materials

Wear protective gloves / eye protection / face protection.

If in eyes: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.

Immediately call a POISON CENTER/doctor.

If on clothing: Rinse immediately contaminated clothing and skin with plenty of water before removing clothes.

In case of major fire and large quantities: Evacuate area. Fight fire remotely due to the risk of explosion.

In case of fire: Use for extinction: CO<sub>2</sub>, powder or water spray.

Dispose of contents/container in accordance with local/regional/national/international regulations.

• **Chemical safety assessment:** A Chemical Safety Assessment has not been carried out.

### 16 Other information

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

• **Department issuing SDS:** Environment protection department.

• **Contact:** Environmental Department

• **Date of preparation / last revision** 02/18/2016 / -

• **Abbreviations and acronyms:**

ADR: Accord européen sur le transport des marchandises dangereuses par Route (European Agreement concerning the International Carriage of Dangerous Goods by Road)

IMDG: International Maritime Code for Dangerous Goods

DOT: US Department of Transportation

IATA: International Air Transport Association

ACGIH: American Conference of Governmental Industrial Hygienists

EINECS: European Inventory of Existing Commercial Chemical Substances

ELINCS: European List of Notified Chemical Substances

CAS: Chemical Abstracts Service (division of the American Chemical Society)

NFPA: National Fire Protection Association (USA)

HMIS: Hazardous Materials Identification System (USA)

PBT: Persistent, Bioaccumulative and Toxic

vPvB: very Persistent and very Bioaccumulative

NIOSH: National Institute for Occupational Safety

OSHA: Occupational Safety & Health

TLV: Threshold Limit Value

PEL: Permissible Exposure Limit

REL: Recommended Exposure Limit

Ox. Liq. 1: Oxidising Liquids, Hazard Category 1

Eye Dam. 1: Serious eye damage/eye irritation, Hazard Category 1

US