## Clorox Professional Products Company 1221 Broadway Oakland, CA 94612 Tel. (510) 271-7000

## **Material Safety Data Sheet**

Tel. (510) 2	DATA STEEL  DATA S								
Product: CLOROX CO									
Description: CLEAR GREE		4							
Other Designations	Distri	butor	Emergeno	y Telephone Nos.					
EPA# 1836-166-67619	Clorox Sale 1221 Br Oakland, C		s Company For Medical Emergencies call: (800) 446-1014  For Transportation For American Company						
ll Health Hazard Data		III Hazardous	s Ingredients						
DANGER: CORROSIVE. May be corrosive to the skin and eyes. May me harmful if swallowed.		Ingredients	Concentration	Worker Exposure Limit					
FIRST AID:		Alkyl dimethylbenzy ammonium chlortde CAS # 68424-85-1	(C12-16)	Not established					
EYE CONTACT: Immediately flush eyes with plenty of water for at least 15 minutes.—Remove-contact-lenses, if present, after the first 5 minutes, then continue rinsing eye. Call a poison control center or doctor for treatment advice. If irritation persists, see a doctor.  SKIN CONTACT: Remove contaminated clothing. Immediately flush skin with plenty of water for at least 15-20 minutes. Call a poison control center or doctor for treatment advice. Wash contaminated clothing before reuse.		Di-(C8-10)-alkyldime chlorides CAS # 68424-95-3	1 - 5%	Not established					
		Dioctyldimethylamm chloride CAS # 5538-94-3	anium 1 - 5%	Not established					
<u>INGESTION</u> : Do not induce vomiting. Drink a glassful of water, immediately Call a poison control center or doctor for treatment advice. Do not give anything by mouth to an unconscious or convulsing person.		Didecyl dimethyl am chloride CAS # 7173-51-5	monium 1 - 5%	Not established					
INHALATION: If breathing problems develop, move the person to fresh air. If the person is not breathing, call 911 or an ambulance then give artificial respiration, preferably mouth-to-mouth, if possible. Seek medical attention if respiratory irritation develops or breathing becomes difficult.		Elhyl alcohol CAS # 64-17-5	1 - 5%	1000 ppm - PEL					
		TLV-TWA = ACGIH Threshold Limit Value · Time Weighted Average							
		PEL = OSHA Permissible Exposure Limit - Time Weighted Average							
		None of the materials in this product are on the IARC, OSHA, or NTP carcinogen lists.							
V Special Protection and Precautions		V Transportation and Regulatory Data							
ngineering Controls: Use general ventilation to minimize exposure to roduct vapor or mist. <u>rersonal Protective Equipment</u> : Wear safety glasses. Wear chemical assistant gloves for repeated or prolonged skin contact.		DOT/IATA/IMDG: Not restricted.							
		EPA - SARA Title III/CERCLA: SARA 311/312 reportable hazard categories: Immediate acute Contains no chemicals which are regulated under Section 304 or 313/CERCLA.  TSCA STATUS: All components of this product are on the TSCA inventory.							
					/I Spill Procedures/Waste Disposal		VII Reactivity Data		
					ewer. Contact the sanitary treatment facility in advance to assure ability to		Stable under normal use and storage conditions.  Conditions to avoid: Oxidizers		
					<u>/aste Disposal</u> : Dispose of in accordance with all appl and local regulations.	icable federal, state,			
/III Fire and Explosion Data		IX Physical Data							
		рН6.6							
		Solubility in Watercomplete							
		Specific Gravity (H <sub>2</sub> O=1)							

@1963, 1991 THE CLOROX COMPANY DATA SUPPLIED IS FOR USE ONLY IN CONNECTION WITH OCCUPATIONAL SAFETY AND HEALTH DATE PREPARED 1/08

> ITEM# MSDS#