1 - PRODUCT IDENTIFICATION

PRODUCT NAME: Super Sealer

PRODUCT TYPE: Liquid Acrylic Floor Sealer/Finish

CONTROL NUMBER: CS0#00XXX

PRODUCT TYPE: Liquit Acrylic Floor Sealer/Finish

COMPANY: Simoniz USA, Inc.

201 Boston Turnpike Bolton, CT 06043 1-800-227-5536

www.simoniz.com

EMERGENCY PHONE:.....(800) 255-3924 (CHEM-TEL)

2 - HAZARDS IDENTIFICATION

CLASSIFICATION OF SUBSTANCE MIXTURE:..... Skin Irritation (2) Eye Irritation (2B) Skin Sensitizer (1B)

SYMBOLS:....



SIGNAL WORD:.....WARNING!

HAZARD STATEMENT:...... Causes skin irritation. Causes eye irritation. May cause an

allergic skin reaction.

PRECAUTIONARY STATEMENTS:

PREVENTION: Wash hands thoroughly after handling. Wear protective

gloves/protective clothing/eye protection/face protection. Avoid breathing dust/fume/gas/mist/vapours/spray. Contaminated work clothing should not be allowed out of the workplace.

RESPONSE: IF ON SKIN: Wash with plenty of water and soap. Specific

treatment (see First AID Section on this label). If skin irritation occurs: Get medical advice/attention. Take off contaminated clothing and wash before reuse. IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses if present and easy to do – continue rinsing. If skin irritation or a rash

occurs: Get medical advice/attention.

STORAGE: Store in a dry place. Store in a closed container

DISPOSAL: Dispose of container and contents in accordance with local

regulations.

3 - COMPOSITION / INFORMATION ON INGREDIENTS

INGREDIENT
Water
Acrylate Copolymer
Diethylene Glycol Methyl Ether
Tributoxy Ethyl Phosphate
Zinc Compounds

C.A.S. NUMBER 7732-18-5 63744-68-3 111-77-3 78-51-3 38714-47-5

Percentages of ingredients are being withheld as trade secret information. This information will be disclosed as necessary to authorized individuals

4 # FIRST-AID MEASURES

5 - FIRE-FIGHTING MEASURES

before wearing.

FLASHPOINT:..... This product is non-flammable.

EXTINGUISHING MEDIA:...... This product is non-flammable. Use extinguishing media suitable for materials already burning.

SPECIAL FIRE FIGHTING PROCEDURES:Firefighters working in areas where this product is present should be equipped with an approved, fully

enclosed SCBA.

UNUSUAL FIRE AND EXPLOSION HAZARDS:.....None known.

6 - ACCIDENTAL RELEASE MEASURES

SPILL PROCEDURES: Dike to prevent spillage into streams or sewer systems. Consult local, state and federal authorities.

WASTE DISPOSAL: As recommended by local, state and federal authorities.

7 - HANDLING and STORAGE

STORAGE: Store in a cool, well ventilated area. Avoid overheating or

freezing.

HANDLING: Do not place this product in an unmarked container. Avoid eye contact. Spilled material is slippery.

PAGE 2 of 5

8 - EXPOSURE CONTROLS / PERSONAL PROTECTION

RESPIRATORY PROTECTION: Not issually needed. Vapors not normally harmful.

PROTECTIVE CLOTHING:...... Special protection not usually needed. Wear eye protection if

product is likely to splash.

ADDITIONAL MEASURES: Do not place this product in an unmarked container. Avoid eye

contact. Spilled material is slippery.

INGREDIENT	C.A.S. NUMBER	PEL
Water	7732-18-5	No limits established
Acrylate Copolymer	63744-68-3	No limits established
Diethylene Glycol Methyl Ether	111-77-3	No limits established
Tributoxy Ethyl Phosphate	78-51-3	0.5mg/m3 TWA
Zinc Compounds	38714-47-5	5 mg/m3 TWA

9 - PHYSICAL / CHEMICAL PROPERITES

APPEARANCE & ODOR: White opaque liquid. No significant odor.

ODOR THRESHOLD: N/A **pH**:.....8.0-9[0

MELTING POINT: 210 degrees F.

FREEZING POINT: N/A

BOILING POINT:..... 210 degrees F.

BOILING POINT RANGE:......... N/A

FLASHPOINT: This product is non-flammable.

EVAPORATION RATE:..... N/A FLAMMABILITY (solid/gas):.... N/A

EXPLOSION LIMITS:.....N/A VAPOR PRESSURE: N/A

VAPOR DENSITY (AIR=1):..... Greater than 1.

SPECIFIC GRAVITY: 1.02

SOLUBILITY IN WATER: Completely soluble.

PARTITION COEFFICIENT: N/A

AUTO-IGNITION TEMPERATURE:......N/A

DECOMPOSITION TEMPERATURE:N/A

VISCOSITY: Water thin

10 - STABILITY and REACTIVITY

STABILITY: Stable under normal conditions. HAZARDOUS DECOMP.:..... This product not known to polymerize. INCOMPATIBILITY: Do not mix with other chemicals.

11 – TO	XICOLOGICAL INFORMATION
LISTED CARCINOGEN: Nor MEDICAL CONDITION AGGRAVAT INHALATION:	estion. Not likely to be inhaled in dangerous amounts. e over 0.1%. ED:May aggravate pre-existing dermatitis. likely to be inhaled in hazardous amounts. Maintain adequate material can cause irritation to the stomach and esophagus
if ingested. EYES: May SKIN (DERMAL): Not cause irritation. ACUTE TOXICITY* (ORAL):	cause eye irritation. likely to irritate. Prolonged exposure to undiluted product may
ACUTE TOXICITY* (DERMAL):	>5000 mg/kg >20,000 ppm V (Gas), >20 mg/l (Vapor), >5
	ula for mixtures (GHS Purple Book, 3.1.3.6)
12 – E	COLOGICAL INFORMATION
ENVIRONMENTAL FATE AND DIST	RIBUTION: N/A
13DI	SPOSAL CONSIDERATIONS
WASTE DISPOSAL: As re	ecommended by local, state and federal authorities.
14 - TRANSPORTATION INFORMATION	
PROPER SHIPPING NAME: Not I HAZARD CLASS: UN/NA NUMBER: PACKAGING GROUP :	D.O.T. regulated.
	15 - REGULATIONS
Contents of this MSDS comply with the 1910	e OSHA Hazard Communication Standard 29CFR 1200
16-	OTHER INFORMATION
NFPA HEALTH:	

PAGE 4 of 5

... The information contained in this SDS is based on the data available to us from sources we believe to be reliable. No warranty or guaranty expressed or implied is made regarding the accuracy of this data or the results obtained from the reliance on this data. The manufacturer assumes no responsibility for injury from the use of this product. Be safe- read this product safety information and pass it on to all persons who may be exposed to this product. Federal law requires it. This product and/or all of its components are either included on or exempt from the TSCA Inventory of Chemical Substances. ... 04/1 4/15