SDS#494 ITEM#363173



Safety Data Sheet Spartan Chemical Company, Inc.

Revision Date: 27-Mar-2020

T AND COMPANY IDENTIFICATION

Product Identifier

Product Name:

CONTEMPO H2O2 SPOTTING SOLUTION

Product Number: Recommended Use:

3037, 3137 Cleaning agent

Uses Advised Against:

For Industrial and Institutional Use Only

Manufacturer/Supplier:

Spartan Chemical Company, Inc.

1110 Spartan Drive Maumee, Ohio 43537 USA 800-537-8990 (Business hours) www.spartanchemical.com

24 Hour Emergency Phone Numbers:

Medical Emergency/Information:

888-314-6171

Transportation/Spill/Leak:

CHEMTREC 800-424-9300

2. HAZARDS IDENTIFICATION

GHS Classification

Skin Corrosion/Irritation:

Category 2

Serious Eye Damage/Eye Irritation:

Category 2A

GHS Label Elements

Signal Word:

Symbols:

Warning



Hazard Statements:

Causes skin irritation.

Causes serious eye irritation

Precautionary Statements:

-Specific Treatment:

Prevention:

Wash hands and any exposed skin thoroughly after handling.

Wear protective gloves Wear eye / face protection

Response:

-Eyes

IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if

-Skin present and easy to do. Continue rinsing. If eye irritation persists: Get medical attention.

IF ON SKIN: Wash with plenty of soap and water If skin irritation occurs: Get medical

attention. Take off contaminated clothing and wash before reuse

See Safety Data Sheet Section 4: "FIRST AID MEASURES" for additional information.

Storage:
Disposal:

Not Applicable Not Applicable

Hazards Not Otherwise Classified:

Not Applicable

Other Information:

- May be harmful if swallowed.
- · Inhalation of vapors or mist may cause respiratory irritation.
- Contains hydrogen peroxide. Ingestion may result in distention of esophagus and stomach.

Revision Date: 27-Mar-2020

· Keep out of reach of children.

Chemical Name	CAS No	Weight-%
Water	7732-18-5	60-100
Butoxydiglycol	112-34-5	1-5
Hydrogen Peroxide	7722-84-1	1-5
Citric Acid	77-92-9	0.1-1
Sodium Sesquicarbonate	533-96-0	0.1-1
Disodium Cetyl Phenyl Ether Disulfonate	65143-89-7	0.1-1
Undeceth-3	34398-01-1	0.1-1
Polycarbonate, Sodium Salt	60472-42-6	0.1-1
Poly(Oxy-1,2-Ethanediyl) a,a-[[[3-(Decyloxy)Propyl]Methyliminio]Di-2,1-Ethan ediyl]Bis[w-Hydroxy-,Branched,Chlorides	68478-94-4	<0.1
Fragrance	PROPRIETARY	<0.1

Specific chemical identity and/or exact percentage of composition has been withheld as a trade secret.

-Eye Contact:

Rinse cautiously with water for at least 15 minutes. Remove contact lenses, if present and easy to do. Continue rinsing. If eye irritation persists: Get medical attention.

-Skin Contact:

Wash with plenty of soap and water. Take off contaminated clothing and wash before

reuse. If skin irritation occurs: Get medical attention.

-Inhalation:

Remove victim to fresh air and keep at rest in a position comfortable for breathing. Call a

poison control center or physician if you feel unwell.

-Ingestion:

Rinse mouth. Do NOT induce vomiting. Never give anything by mouth to an unconscious

person. Get medical attention if you feel unwell.

Note to Physicians:

Contains hydrogen peroxide. Ingestion may result in distention of esophagus and stomach.

Suitable Extinguishing Media:

Product does not support combustion, Use extinguishing agent suitable for type of

surrounding fire

Specific Hazards Arising from the

Chemical:

Combustion products are toxic. Releases oxygen when heated to decomposition which may

intensify fire.

Hazardous Combustion Products:

May include Carbon monoxide Carbon dioxide and other toxic gases or vapors.

Protective Equipment and Precautions for Firefighters:

Wear MSHA/NIOSH approved self-contained breathing apparatus (SCBA) and full

protective gear. Cool fire-exposed containers with water spray.

Personal Precautions: Environmental Precautions: Methods for Clean-Up:

Avoid contact with skin, eyes or clothing. Use personal protective equipment as required. Do not rinse spill onto the ground, into storm sewers or bodies of water.

Prevent further leakage or spillage if safe to do so. Contain and collect spillage with non-combustible absorbent material, (e.g. sand, earth, diatomaceous earth, vermiculite) and place in container for disposal according to local / national regulations (see Section 13).

Page 2/5

Advice on Safe Handling: Handle in accordance with good industrial hygiene and safety practice. Wash thoroughly

after handling.

Storage Conditions: Keep containers tightly closed in a dry, cool and well-ventilated place. Keep out of the reach

of children. Keep from freezing.

Incompatible Materials: Sodium hypochlorite (or other hypochlorites). Metals.

Suggested Shelf Life: Minimum of 2 years from date of manufacture.

Occupational Exposure Limits:

Chemical Name	ACGIH TLV	OSHA PEL	NIOSH
Butoxydiglycol 112-34-5	TWA: 10 ppm inhalable fraction and vapor	-	-
Hydrogen Peroxide 7722-84-1	TWA: 1 ppm	TWA: 1 ppm TWA: 1.4 mg/m³ (vacated) TWA: 1 ppm (vacated) TWA: 1.4 mg/m³	IDLH: 75 ppm TWA: 1 ppm TWA: 1.4 mg/m³

Engineering Controls: Provide good general ventilation.

If work practices generate dust, fumes, gas, vapors or mists which expose workers to chemicals above the occupational exposure limits, local exhaust ventilation or other

Revision Date: 27-Mar-2020

engineering controls should be considered.

Personal Protective Equipment

Eye/Face Protection:

Skin and Body Protection: Respiratory Protection:

Wear splash goggles.

Wear rubber or other chemical-resistant gloves.

Not required with expected use.

If occupational exposure limits are exceeded or respiratory irritation occurs, use of a NIOSH/MSHA approved respirator suitable for the use-conditions and chemicals in Section

3 should be considered.

General Hygiene Considerations: Wash hands and any exposed skin thoroughly after handling.

See 29 CFR 1910.132-138 for further guidance.

Appearance/Physical State:	Liquid	
Color:	Clear	
Odor:	Pleasant	
pH:	5.0-6.0	
Melting Point / Freezing Point:	No information available.	
Boiling Point / Boiling Range:	100 °C / 212 °F	
Flash Point:	> 100 °C / > 212 °F ASTM D56	
Evaporation Rate:	< 1 (BuAc = 1)	
Flammability (solid, gas)	No information available.	
Upper Flammability Limit:	No information available.	
Lower Flammability Limit:	No information available.	
Vapor Pressure:	No information available.	
Vapor Density:	No information available.	
Specific Gravity:	1.016	
Solubility(ies):	Soluble in water	
Partition Coefficient:	No information available.	
Autoignition Temperature:	No information available.	
Decomposition Temperature:	No information available.	
Viscosity:	No information available.	

Reactivity: This material is considered to be non-reactive under normal conditions of use. Chemical Stability:

Stable under normal conditions

Possibility of Hazardous Reactions: Contact with sodium hypochlorite (or other hypochlorites) releases chlorine gas.

Conditions to Avoid:

Incompatible Materials:

Extremes of temperature and direct sunlight.

Hazardous Decomposition

Sodium hypochlorite (or other hypochlorites). Metals.

Products:

May include carbon monoxide, carbon dioxide (CO2) and other toxic gases or vapors.

Revision Date: 27-Mar-2020

Likely Routes of Exposure:

Eyes, Skin, Ingestion, Inhalation.

Symptoms of Exposure: -Eye Contact:

Pain, redness, swelling of the conjunctiva and blurred vision.

-Skin Contact:

Pain, redness and cracking of the skin.

Inhalation:

Nasal discomfort and coughing.

-Eyes. Respiratory System. -Skin.

-Ingestion:

Pain, nausea, vomiting and diarrhea.

Immediate, Delayed, Chronic Effects

Product Information:

Target Organ Effects:

Data not available or insufficient for classification.

Numerical Measures of Toxicity

The following acute toxicity estimates (ATE) are calculated based on the GHS document.

ATEmix (oral):

45642 mg/kg

ATEmix (dermal):

54439 mg/kg

ATEmix (inhalation-dust/mist):

100 mg/l

Component Acute Toxicity Information

Chemical Name Oral LD50		Dermal LD50	Inhalation LC50	
Water 7732-18-5	> 90 mL/kg (Rat)	Not Available	Not Available	
Butoxydiglycol 112-34-5	= 5660 mg/kg (Rat) = 2700 mg/kg (Rabbit)		Not Available	
Hydrogen Peroxide 7722-84-1	= 1518 mg/kg (Rat)	= 2000 mg/kg (Rabbit) = 4060 mg/kg (Rat)	= 2 g/m³ (Rat) 4 h	
Citric Acid 77-92-9	= 3 g/kg (Rat)	Not Available	Not Available	
Disodium Cetyl Phenyl Ether Disulfonate 65143-89-7	> 5000 mg/kg(Rat)	Not Available	Not Available	

Carcinogenicity: No components present at 0.1% or greater are listed as to being carcinogens by ACGIH, IARC, NTP or OSHA.

Ecotoxicity

Chemical Name	Algae/Aquatic Plants	Fish	Toxicity to Microorganisms	Crustacea
Butoxydiglycol 112-34-5	100: 96 h Desmodesmus subspicatus mg/L EC50	1300: 96 h Lepomis macrochirus mg/L LC50 static	Not Available	100: 48 h Daphnia magna mg/L EC50
Hydrogen Peroxide 7722-84-1	Not Available	16.4: 96 h Pimephales promelas mg/L LC50 18 - 56: 96 h Lepomis macrochirus mg/L LC50 static 10.0 - 32.0: 96 h Oncorhynchus mykiss mg/L LC50 static	Not Available	18 - 32: 48 h Daphnia magna mg/L EC50 Static
Citric Acid 77-92-9	Not Available	1516: 96 h Lepomis macrochirus mg/L LC50 static	Not Available	Not Available

Persistence and Degradability:

No information available.

Bioaccumulation:

No information available.

Other Adverse Effects:

No information available.

13. DISPOSAL CONSIDERATIONS

Disposal of Wastes: Contaminated Packaging: Dispose of in accordance with federal, state and local regulations. Dispose of in accordance with federal, state and local regulations.

14. TRANSPORT INFORMATION

DOT:

Not Regulated

Proper Shipping Name:

Non Hazardous Product

Special Provisions:

Shipping descriptions may vary based on mode of transport, quantities, package size, and/or origin and destination. Check with a trained hazardous materials transportation

expert for information specific to your situation.

IMDG:

Not Regulated

Proper Shipping Name:

Non Hazardous Product

5. REGULATORY INFORMATION

TSCA Status: (Toxic Substance Control Act Section 8(b) Inventory)

All chemical substances in this product are included on or exempted from listing on the TSCA Inventory of Chemical Substances.

SARA 313

This product contains the following listed substances:

Butoxydiglycol

CAS No 112-34-5 applies to R-(OCH2CH2)n-OR', where n = 1, 2, or 3, R=Alkyl C7 or less, or R = Phenyl or Alkyl substituted phenyl, R' = H or Alkyl C7 or less, or OR' consisting of Carboxylic acid ester, Sulfate, Phosphate, Nitrate, or SulfonateChemical Category N230

SARA 311/312 Hazard Categories

Acute Health Hazard:
Chronic Health Hazard:
No
Fire Hazard:
Sudden release of pressure hazard:
No
Reactive Hazard:
No

California Proposition 65

This product is not subject to warning requirements under California Proposition 65.

6. OTHER INFORMATION

<u>NFPA</u>

Health Hazards: 2

Flammability: 0

Instability: 1

Special: N/A

Revision Date: 27-Mar-2020

HMIS

Health Hazards: 2

Flammability: 0

Physical Hazards: 1

Revision Date:

27-Mar-2020 Section 11

Reasons for Revision:

Disclaimer:

The information provided in this Safety Data Sheet is correct to the best of our knowledge, Information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.

End of Safety Data Sheet