SDS+56// ITEM#893590

Issuing Date No data available

Revision Date 18-May-2015

Revision Number 3



The supplier identified below generated this SDS using the UL SDS template. UL did not test, certify, or approve the substance described in this SDS, and all information in this SDS was provided by the supplier or was reproduced from publically available regulatory data sources. UL makes no representations or warranties regarding the completeness or accuracy of the information in this SDS and disclaims all liability in connection with the use of this information or the substance described in this SDS. The layout, a ppearance and formato f this SDS is © 2014 UL LLC. All rights reserved.

1. IDENTIFICATION OF THE SUBSTANCE/PREPARATION AND OF THE COMPANY/UNDERTAKING

Product identifier

Product Name

50 percent Isopropyl alcohol with Wintergreen

Other means of identification

Synonyms

None

Recommended use of the chemical and restrictions on use

Recommended Use

First-Aid Kit or Supplies

Uses advised against

No information available

Details of the supplier of the safety data sheet

Supplier Name

PL Developments

Supplier Address

11865 S Alameda Street

Lynwood CA 90262 US

Supplier Phone Number

Phone:323-567-2482

Contact Phone323-567-2482 ext 2337

Supplier Email

HARRY.FISHER@AARONINDUSTRIESINC.COM

Emergency telephone number

2. HAZARDS IDENTIFICATION

Classification

This chemical is considered hazardous by the 2012 OSHA Hazard Communication Standard (29 CFR 1910.1200)

| Serious eye damage/eye irritation | Category 2 |
|--|------------|
| Specific target organ toxicity (single exposure) | Category 3 |
| Flammable liquids | Category 2 |
| -lammable liquids | |

GHS Label elements, including precautionary statements



Emergency Overview

Signal word

Danger

Hazard Statements

Causes serious eye irritation May cause drowsiness or dizziness Highly flammable liquid and vapor



Appearance Green

Physical state Liquid

Odor Wintergreen oil

Precautionary Statements - Prevention

Wash face, hands and any exposed skin thoroughly after handling Wear protective gloves/protective clothing/eye protection/face protection Avoid breathing dust/fume/gas/mist/vapors/spray Use only outdoors or in a well-ventilated area Keep away from heat/sparks/open flames/hot surfaces. - No smoking Keep container tightly closed Ground/bond container and receiving equipment Use explosion-proof electrical/ ventilating/ lighting/ equipment

Use only non-sparking tools Take precautionary measures against static discharge

Keep cool

Wear eye/face protection



Precautionary Statements - Response

Eyes

IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing If eye irritation persists: Get medical advice/attention

Skin

IF ON SKIN (or hair): Remove/Take off immediately all contaminated clothing. Rinse skin with water/shower

Inhalation

IF INHALED: Remove victim to fresh air and keep at rest in a position comfortable for breathing Call a POISON CENTER or doctor/physician if you feel unwell

Fire

In case of fire: Use CO2, dry chemical, or foam for extinction

Precautionary Statements - Storage

Store in a well-ventilated place. Keep container tightly closed Store locked up

Precautionary Statements - Disposal



Dispose of contents/container to an approved waste disposal plant

Hazards not otherwise classified (HNOC)

Not applicable

Unknown Toxicity

0.002% of the mixture consists of ingredient(s) of unknown toxicity

Other information

PROLONGED OR REPEATED CONTACT MAY DRY SKIN AND CAUSE IRRITATION

Interactions with Other Chemicals

No information available.

3. COMPOSITION/INFORMATION ON INGREDIENTS

| Chemical Name | CAS No | Weight-% | Trade Secret |
|-------------------|---------|----------|--------------|
| Isopropyl alcohol | 67-63-0 | 30 - 60 | * |

^{*}The exact percentage (concentration) of composition has been withheld as a trade secret

4. FIRST AID MEASURES

First aid measures

General Advice

Show this safety data sheet to the doctor in attendance.

Eye contact

Rinse immediately with plenty of water, also under the eyelids, for at least 15 minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Keep eye wide open while rinsing. Do not rub affected area. Get medical attention

if irritation develops and persists.

Skin contact

Wash off immediately with soap and plenty of water while removing all

contaminated clothes and shoes.

Inhalation

Remove to fresh air.

Ingestion

Rinse mouth immediately and drink plenty of water. Never give anything by mouth

to an unconscious person. Do NOT induce vomiting. Call a physician.

Self-protection of the first aider Remove all sources of ignition. Ensure that medical personnel are aware of the material(s) involved, take precautions to protect themselves and prevent spread of contamination. Use personal protective equipment as required. Wear personal

protective clothing (see section 8).

Most important symptoms and effects, both acute and delayed

Most Important Symptoms and **Effects**

Burning sensation. Inhalation of high vapor concentrations may cause symptoms like headache, dizziness, tiredness, nausea and vomiting.

Indication of any immediate medical attention and special treatment needed



Notes to Physician

Treat symptomatically.

5. FIRE-FIGHTING MEASURES

Suitable Extinguishing Media

Use extinguishing measures that are appropriate to local circumstances and the surrounding environment. Dry chemical. Carbon dioxide (CO2). Water spray. Alcohol resistant foam.

Unsuitable extinguishing media

CAUTION: Use of water spray when fighting fire may be inefficient.

Specific hazards arising from the chemical

Risk of ignition. Keep product and empty container away from heat and sources of ignition. In the event of fire, cool tanks with water spray. Fire residues and contaminated fire extinguishing water must be disposed of in accordance with local regulations.

Uniform Fire Code

Irritant: Liquid

Flammable Liquid: I-B

Hazardous Combustion Products

Carbon oxides.

Explosion Data

Sensitivity to Mechanical Impact

No.

Sensitivity to Static Discharge

Yes.

Protective equipment and precautions for firefighters

As in any fire, wear self-contained breathing apparatus pressure-demand, MSHA/NIOSH (approved or equivalent) and full protective gear.

6. ACCIDENTAL RELEASE MEASURES

Personal precautions, protective equipment and emergency procedures

Personal precautions Avoid contact with skin, eyes or clothing. Use personal protective equipment as required.

Ensure adequate ventilation. Evacuate personnel to safe areas. See section 8 for more information. Keep people away from and upwind of spill/leak. ELIMINATE all ignition sources (no smoking, flares, sparks or flames in immediate area). Pay attention to flashback. Take precautionary measures against static discharges. All equipment used when handling the product must be grounded. Do not touch or walk through spilled

material.

Other Information Refer to protective measures listed in Sections 7 and 8. Ventilate the area.

Environmental precautions

Environmental precautions Refer to protective measures listed in Sections 7 and 8. Prevent further leakage or spillage

if safe to do so. Prevent product from entering drains.

Methods and material for containment and cleaning up

Methods for containment Prevent further leakage or spillage if safe to do so. Do not touch or walk through spilled

material. A vapor suppressing foam may be used to reduce vapors. Dike far ahead of spill

to collect runoff water. Keep out of drains, sewers, ditches and waterways.

Methods for cleaning up Pick up and transfer to properly labeled containers. Take precautionary measures against

static discharges. Dam up. Soak up with inert absorbent material.

7. HANDLING AND STORAGE

Precautions for safe handling

Handling Handle in accordance with good industrial hygiene and safety practice. Avoid contact with

skin, eyes or clothing. Do not eat, drink or smoke when using this product. Use personal protection equipment. Avoid breathing vapors or mists. Keep away from heat/sparks/open flames/hot surfaces. - No smoking. Use grounding and bonding connection when transferring this material to prevent static discharge, fire or explosion. Use with local exhaust ventilation. Use spark-proof tools and explosion-proof equipment. Keep in an area

equipped with sprinklers. Use according to package label instructions.

Conditions for safe storage, including any incompatibilities

Storage Keep containers tightly closed in a dry, cool and well-ventilated place. Keep away from

heat, sparks, flame and other sources of ignition (i.e., pilot lights, electric motors and static electricity). Keep in properly labeled containers. Do not store near combustible materials. Keep in an area equipped with sprinklers. Store in accordance with the particular national

regulations. Store in accordance with local regulations.

Incompatible Products Strong oxidizing agents. Acids. Chlorinated compounds.

8. EXPOSURE CONTROLS/PERSONAL PROTECTION

Control parameters



Exposure Guidelines

| Chemical Name | ACGIH TLV | OSHA PEL | NIOSH IDLH |
|------------------------------|-------------------------------|--|---|
| Isopropyl alcohol 67-63-0 | STEL: 400 ppm TWA: 200 ppm | TWA: 400 ppm TWA: 980 mg/m³ (vacated) TWA: 400 ppm (vacated) TWA: 980 mg/m³ (vacated) STEL: 500 ppm (vacated) STEL: 1225 mg/m³ | IDLH: 2000 ppm 10% LEL TWA: 980 mg/m³ TWA: 400 ppm STEL: 500 ppm STEL: 1225 mg/m³ |

ACGIH TLV: American Conference of Governmental Industrial Hygienists - Threshold Limit Value OSHA PEL: Occupational Safety and Health Administration - Permissible Exposure Limits Immediately Dangerous to Life or Health

Other Exposure Guidelines

Vacated limits revoked by the Court of Appeals decision in AFL-CIO v. OSHA, 965 F.2d 962

(11th Cir., 1992) See section 15 for national exposure control parameters

Appropriate engineering controls

Engineering Measures

Showers

Evewash stations Ventilation systems

Individual protection measures, such as personal protective equipment

Eye/face protection

If splashes are likely to occur:. Tight sealing safety goggles.

Skin and body protection

Wear protective gloves and protective clothing. Long sleeved clothing. Chemical resistant

apron. Impervious gloves. Antistatic boots.

Respiratory protection

No protective equipment is needed under normal use conditions. If exposure limits are

exceeded or irritation is experienced, ventilation and evacuation may be required.

Hygiene Measures

Handle in accordance with good industrial hygiene and safety practice. Avoid contact with skin, eyes or clothing. Wear suitable gloves and eye/face protection. Do not eat, drink or smoke when using this product. Contaminated work clothing should not be allowed out of the workplace. Regular cleaning of equipment, work area and clothing is recommended.

Wash hands before breaks and immediately after handling the product.

9. PHYSICAL AND CHEMICAL PROPERTIES

Physical and Chemical Properties

Physical state Арреатапсе Color

Liquid Green

No information available

Odor **Odor Threshold**

Remarks Method

Wintergreen oil No information available

Property нα Melting / freezing point Boiling point / boiling range Flash Point **Evaporation Rate** Flammability (solid, gas) Flammability Limit in Air Upper flammability limit

Lower flammability limit

Vapor pressure

Vapor density

<u>Values</u> No data available 82° C / 180 °F 11.667 C / 55 F No data available No data available No data available

No data available

No data available

No data available

None known None known None known None known None known None known

None known None known



No data available None known **Specific Gravity** Soluble in water None known Water Solubility None known No data available Solubility in other solvents Partition coefficient: n-octanol/waterNo data available None known 399° C / 750.2 °F None known **Autoignition temperature** None known No data available Decomposition temperature Kinematic viscosity No data available None known Dynamic viscosity No data available None known No data available Explosive properties Oxidizing properties No data available

Other Information

Softening Point No data available
VOC Content (%) No data available
Particle Size No data available

Particle Size Distribution

10. STABILITY AND REACTIVITY

Reactivity

No data available.

Chemical stability

Stable under recommended storage conditions.

Possibility of Hazardous Reactions

None under normal processing.

Hazardous Polymerization

Hazardous polymerization does not occur.

Conditions to avoid

Heat, flames and sparks.

Incompatible materials

Strong oxidizing agents. Acids. Chlorinated compounds.

Hazardous Decomposition Products

Carbon oxides.

11. TOXICOLOGICAL INFORMATION

Information on likely routes of exposure

Product Information

Inhalation Specific test data for the substance or mixture is not available. May cause irritation of

respiratory tract. May cause drowsiness and dizziness.

Eye contact Specific test data for the substance or mixture is not available. Expected to be an irritant

based on components. May cause redness, itching, and pain. May cause temporary eye

irritation.

Skin contact Specific test data for the substance or mixture is not available. May cause irritation.

Prolonged contact may cause redness and irritation.

Ingestion Specific test data for the substance or mixture is not available. Ingestion may cause

irritation to mucous membranes. Ingestion may cause gastrointestinal irritation, nausea,

vomiting and diarrhea.

Component Information



| Chemical Name | Oral LD50 | Dermal LD50 | Inhalation LC50 |
|-------------------|--------------------|------------------------|----------------------|
| Isopropyi alcohol | = 4396 mg/kg (Rat) | = 12800 mg/kg (Rabbit) | = 16000 ppm (Rat)8 h |
| 67-63-0 | | | |

Information on toxicological effects

Symptoms

May cause redness and tearing of the eyes. Inhalation of high vapor concentrations may

cause symptoms like headache, dizziness, tiredness, nausea and vomiting.

Delayed and immediate effects as well as chronic effects from short and long-term exposure

Sensitization

No information available.

Mutagenic Effects

No information available.

Carcinogenicity

The table below indicates whether each agency has listed any ingredient as a carcinogen.

| Chemical Name | ACGIH | IARC | NTP | OSHA |
|-------------------|-------|---------|-----|------|
| Isopropyl alcohol | | Group 3 | | X |
| 67-63-0 | | | | 1 |

IARC (International Agency for Research on Cancer)

Group 3 - Not Classifiable as to Carcinogenicity in Humans

OSHA (Occupational Safety and Health Administration of the US Department of Labor)

X - Present

Reproductive toxicity

No information available.

STOT - single exposure

No information available.

STOT - repeated exposure

No information available.

Chronic Toxicity

No known effect based on information supplied.

Target Organ Effects

Eyes. Respiratory system. Skin. Blood. Kidney. Liver. Spleen. Systemic Toxicity.

Aspiration Hazard

No information available.

Numerical measures of toxicity Product Information

The following values are calculated based on chapter 3.1 of the GHS document

ATEmix (oral) 8,792.00 mg/kg ATEmix (dermal) 25,600.00 mg/kg (ATE) ATEmix (inhalation-vapor) 111.22 ATEmix



12. ECOLOGICAL INFORMATION

Ecotoxicity

The environmental impact of this product has not been fully investigated.

| Chemical Name | Toxicity to Algae | Toxicity to Fish | Toxicity to Microorganisms | Daphnia Magna (Water Flea) |
|------------------------------|---|--|-------------------------------|-------------------------------|
| Isopropyl alcohol 67-63-0 | 96h EC50: > 1000 mg/L (Desmodesmus subspicatus) 72h EC50: > 1000 mg/L (Desmodesmus subspicatus) | 96h LC50: > 1400000 µg/L (Lepomis macrochirus) 96h LC50: = 11130 mg/L (Pimephales promelas) 96h LC50: = 9640 mg/L (Pimephales promelas) | | 48h EC50: = 13299 mg/L |

Persistence and Degradability

No information available.

Bioaccumulation

| Chemical Name | Log Pow |
|-------------------|---------|
| Isopropyi alcohol | 0.05 |
| 67-63-0 | |

Other adverse effects

No information available.

13. DISPOSAL CONSIDERATIONS

Waste treatment methods

Disposal methods

This material, as supplied, is a hazardous waste according to federal regulations (40 CFR

261).

Contaminated Packaging

Dispose of contents/containers in accordance with local regulations.

US EPA Waste Number

D001

California Hazardous Waste Codes 311

This product contains one or more substances that are listed with the State of California as a hazardous waste.

| Chemical Name California Hazardous Waste | |
|--|-----------|
| Isopropyl alcohol | Toxic |
| 67-63-0 | Ignitable |

14. TRANSPORT INFORMATION

DOT

Proper Shipping Name

CONSUMER COMMODITY

Hazard Class

ORM-D

Description

CONSUMER COMMODITY, ORM-D

Emergency Response Guide

129

Number



| TDG UN-No. Proper Shipping Name Hazard Class Packing Group Description MEX | UN1219 ISOPROPANOL 3 II UN1219, ISOPROPANOL, 3, II |
|--|---|
| UN-No. Proper Shipping Name Hazard Class Packing Group Description | ISOPROPANOL 3 II UN1219, ISOPROPANOL, 3, II |
| ICAO UN-No. Proper Shipping Name Hazard Class Packing Group Description | UN1219 ISOPROPANOL 3 II UN1219, ISOPROPANOL, 3, II |
| IATA UN-No. Proper Shipping Name Hazard Class Packing Group Description | UN1219 ISOPROPANOL 3 II UN1219, ISOPROPANOL, 3, II |
| IMDG/IMO UN-No. Proper Shipping Name Hazard Class Packing Group EmS-No. Description | UN1219 ISOPROPANOL 3 II F-E, S-D UN1219, ISOPROPANOL, 3, II |
| RID UN-No. Proper Shipping Name Hazard Class Packing Group Classification code Description | UN1219 ISOPROPANOL 3 II F1 UN1219, ISOPROPANOL, 3, II |
| ADR UN-No. Proper Shipping Name Hazard Class Packing Group Classification code Tunnel restriction code Description | UN1219 ISOPROPANOL 3 II F1 (D/E) UN1219, ISOPROPANOL, 3, II |
| ADN UN-No. Proper Shipping Name Hazard Class Packing Group Classification code Special Provisions | UN1219 ISOPROPANOL 3 II F1 601 |

Description

UN1219, ISOPROPANOL, 3, II

Hazard Labels Limited Quantity Ventilation 3 1 L VE01

15. REGULATORY INFORMATION

International Inventories

TSCA

Complies

DSL IECSC All components are listed either on the DSL or NDSL.

TSCA - United States Toxic Substances Control Act Section 8(b) Inventory DSL/NDSL - Canadian Domestic Substances List/Non-Domestic Substances List

US Federal Regulations

SARA 313

Section 313 of Title III of the Superfund Amendments and Reauthorization Act of 1986 (SARA). This product contains a chemical or chemicals which are subject to the reporting requirements of the Act and Title 40 of the Code of Federal Regulations, Part 372

| Chemical Name CAS No | | Weight-% | SARA 313 - Threshold Values % |
|-----------------------------|---------|----------|----------------------------------|
| Isopropyl alcohol - 67-63-0 | 67-63-0 | 30 - 60 | 1.0 |

SARA 311/312 Hazard Categories

| Acute Health Hazard | Yes |
|-----------------------------------|-----|
| Chronic Health Hazard | No |
| Fire Hazard | Yes |
| Sudden release of pressure hazard | No |
| Reactive Hazard | No |

CWA (Clean Water Act)

This product does not contain any substances regulated as pollutants pursuant to the Clean Water Act (40 CFR 122.21 and 40 CFR 122.42)

CERCLA

This material, as supplied, does not contain any substances regulated as hazardous substances under the Comprehensive Environmental Response Compensation and Liability Act (CERCLA) (40 CFR 302) or the Superfund Amendments and Reauthorization Act (SARA) (40 CFR 355). There may be specific reporting requirements at the local, regional, or state level pertaining to releases of this material

US State Regulations

California Proposition 65

This product does not contain any Proposition 65 chemicals.

U.S. State Right-to-Know Regulations

| Chemical Name | New Jersey | Massachusetts | Pennsylvania | Rhode Island | Illinois |
|-------------------------------|------------|---------------|--------------|--------------|----------|
| Isopropyl alcohol 67-63-0 | Х | Х | X | Х | |
| Methyl Salicylate 119-36-8 | | | Х | | |

International Regulations

Mexico



National occupational exposure limits

| Component | Carcinogen Status | Exposure Limits |
|---------------------|-------------------|-------------------------------------|
| Isopropyl alcohol | | Mexico: TWA 400 ppm |
| 67-63-0 (30 - 60) | | Mexico: TWA 980 mg/m ³ |
| , , , | | Mexico: STEL 500 ppm |
| | | Mexico: STEL 1225 mg/m ³ |

Mexico - Occupational Exposure Limits - Carcinogens

16. OTHER INFORMATION

NFPA

Health Hazards 2

Flammability 3

Instability 0

Physical and

HMIS

Health Hazards 2

Flammability 0

Physical Hazard 0

Chemical Hazards -**Personal Protection**

Х

Prepared By

Product Stewardship

23 British American Blvd.

Latham, NY 12110 1-800-572-6501

Revision Date

18-May-2015

Revision Note

No information available

Disclaimer

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text

End of Safety Data Sheet