

Edition Date: 05/11/2015 Form No: AR-F.12-R.01 / 09.12 Revision Date: -

Revision No: 00 Sayfa 1/8

Product: MULTI- PURPOSE STAIN REMOVER

SDS Date:

06/05/2015

Product Name:

Multi-Purpose Stain Remover

1. Identification

Manufacturer or Supplier:

Delta Brands Inc. 1890 Palmer Avenue Larchmont 10538 New York Tel: +914 833 17 00

For Product Information/Emergency:

Emergency Contact: ChemTel

Contact Numbers:

+1.800.255.3924 (US, Canada, Puerto Rico, USVI)

+1.813.248.0585 (International)

Product Items: 10001

Hazards Identification

2.1 Classification of the substance or mixture

Classification according to Regulation (EC) No 1272/2008: The product is not classified according to the CLP regulation.

Classification according to GHS: Not applicable.

Hazard statements: Harmful if much swallowed, irritating to eyes, respiratory system and skin.

. Precautionary statements: Not applicable.

Flammable class: 0

Other hazards: See section 11.

Results of PBT and vPvB assessment: Not applicable.

2.2 Label elements

Hazard pictograms (CLP): Not applicable.

ISDS# 372 ITEM# 897073

NFPA ratings (scale 0 - 4)



Edition Date: 05/11/2015 Form No: AR-F.12-R.01 / 09.12 Revision Date: -Revision No: 00 Sayfa 2/8

Product: MULTI- PURPOSE STAIN REMOVER



Health = 1; Fire = 0; Reactivity = 0

Signal word (CLP): Not applicable.

3. Composition/Information on Ingredients

Name	Product Identifier	%	Classification
Sodium Percarbonate	(Cas no) 15630 - 89 - 4	18 %	Not applicable
Sodium Sulphate	7757 – 82 - 6	82 %	Not applicable

4. First-Aid Masures

4.1. Description of first aid measures

Generally not hazardous in normal handling, however good laboratory practices should always be used. Avoid long term exposure to skin or by inhalation.

Inhalation immediately. : If feel uncomfortable or breathing is difficult remove from exposure and move to fresh air

Eve Contact

: Flush eyes with plenty of water for a few minutes, occasionally lifting the upper and lower

eyelids.

Skin Contact : Flush skin with plenty of water for a few minutes while removing contaminated clothing and shoes.

Ingestion

: If victim is conscious and alert, give 2-4 cup fuls of milk or water, do not to emetic. Never give anything by mouth to an Unconscious person. Get medical aid.

4.2. Most important symptoms and effects, both acute and delayed

General information: If adverse symptoms develop as described the casualty should be transferred to hospital as soon as possible.

Inhalation: May cause nose, throat, and lung irritation.

ingestion: Harmful if swallowed.

Skin contact: Prolonged or repeated contact may dry skin and cause irritation.



Edition Date: 05/11/2015 Form No: AR-F.12-R.01 / 09.12 Revision Date: -Revision No: 00 Sayfa 3 / 8

Product: MULTI- PURPOSE STAIN REMOVER

Eye contact: Moderate eye irritation,

5. Fire-Fighting Measures

5.1. Extinguishing media

Water, CO2, Dry Chemicals, Foam-Fog.

5.2. Special hazards arising from the substance or mixture

Not applicable.

5.3. Advice for firefighters

Special Fire Fighting Procedures

As in any fire, wear a self-contained breathing apparatus in pressure-demand, MSHA/NIOSH (approved or equivalent), and full protective gear. Non-combustible, substance itself does not burn but may decompose upon heating to produce irritating fumes.

Protective equipment for fire-fighters

Wear self-contained breathing apparatus meeting NIOSH standards.

Other information:

Wear self-contained breathing apparatus and complete personal protective equipment when potential for exposure to products of combustion exists.

6. Accidental Release Measures

6.1. Personal precautions, protective equipment and emergency procedures

Wear protective clothing as described in Section 8 of this safety data sheet.

6.2. Environmental precautions

Avoid discharge into drains, water courses or onto the ground.

6.3. Methods and material for containment and cleaning up

Small Spill: Mix absorb leaked material with (sand, diatomite, sawdust) or direct cleaning and placed into a suitable container handling, and scrub the area with towel and water.

Large Spill: Isolation accident area to prevent the leak products to be contaminated ,And then to recycling collection the leak products. Be careful that the product is not present at a concentration level above TLV. Check TLV on the SDS and with local authorities.

Handling and Storage

Handling: Removal of products need to wear protective gloves, handled with care when handling apply good manufacturing practice & industrial hygiene practices. Observe good personal hygiene, and do not eat, drink or smoke whilst handling. Wear protective goggles and gloves when handling material. Clean cloths must be worn. Observe all warnings and precautions listed for the product.

Storage: Store in a cool area, Keep container tightly sealed, Keep air contact to a minimum.



Edition Date: 05/11/2015 Form No: AR-F.12-R.01 / 09.12 Revision Date: -Revision No: 00 Sayfa 4/8

Product: MULTI- PURPOSE STAIN REMOVER

Further information about storage condition: Store away from Oxidant and Reducing agent.

8. Exposure Controls / Personal Protection

Control parameters

Occupational exposure limits

Ventilation and Engineering controls: Require exhaust ventilation equipment or operating in ventilation.

Respiratory Protection: No special respiratory protection is required for use of these products. If respiratory protection is needed, use only protection authorized in the U.S. Federal OSHS Standard,

: Granules

: White

applicable U.S. State regulations.

Body Protection: Wear protective clothing and safety shoes.

Protective Gloves: Choose Rubber or plastic gloves with elbow-length gauntlet. Eye Protection: Unnecessary. When necessary wear chemical goggles or face shield.

PEL (OSHA) &TLV (ACGIH): None established.

Personal Protection:

Physical Form

: No Special protection is required. Eyes : No Special protection is required. Hands : No Special protection is required. Respiratory : No Special protection is required. Feet

Physical and Chemical Properties

Color : Odorless Odor : Not available Odor threshold : Solid Physical state : Not available Conductivity : 10.00 рΗ : >1 (Water=1) Density : Not available Freezing point : Not available Pour point : Not available **Boiling point** : Not available Flash point : Not available Evaporation rate Flammability limits in air, lower, %

: Not available by volume

Flammability limits in air, upper, %

: Not available by volume : Not available Vapor pressure : Not available Vapor density : Not available Specific gravity : Not available Octanol/water coefficient : Not available Auto-ignition temperature

10. Stability and Reactivity



Edition Date: 05/11/2015 Form No: AR-F.12-R.01 / 09.12 Revision Date: -Revision No: 00 Sayfa 5 / 8

Product: MULTI- PURPOSE STAIN REMOVER

10.1. Reactivity

No specific reactivity hazards associated with this product.

10.2. Chemical stability

Stable under normal temperatures and pressures.

10.3. Possibility of hazardous reactions

Not determined.

10.4. Conditions to avoid

Avoid excessive heat for prolonged periods of time.

10.5, Incompatible materials

Strong acid substances, strong oxidizers.

10.6. Hazardous decomposition products

There is no anticipated hazardous decomposition products associated with this material.

11. Toxicological Information

Acute Toxicity

: Harmful if swallowed, And may irritating to eyes, respiratory system and

skin.

Effect of Chronic Exposure

: Not available.

Toxicity to Animals

: LD50: Sodium sulphate - rat oral 5989mg/kg; Sodium percarbonate- rat

oral 2400mg/kg. LC50: Not available

12. Ecological Information

Ecological Effects Information;

Ecotoxicity: Not available.

Products of Biodegradation: None hazardous short term degradation products are not likely. Water Danger/Protection: Water hazard class 1(German Regulation) (Self-assessment): slightly

hazardous for water.

13. Disposal Considerations

Chemical waste generators must determine whether a discarded chemical is classified as a hazardous waste US EPA guidelines for the classification determination are listed in 40 CFR Parts 261.3. Additionally, waste generators must consult state and local hazardous waste regulations to ensure complete and accurate classification.

Waste Disposal Methods: Disposal must be done as territory and /or local government regulations. Waste management information will help to receive the best results.

Disposal of packaging: Dispose of according to local regulations.



Edition Date: 05/11/2015 Form No: AR-F.12-R.01 / 09.12 Revision Date: -Revision No: 00 Sayfa 6 / 8

Product: MULTI- PURPOSE STAIN REMOVER

14. Transportation Information

14.1. UN Number:

UN No. (ADR/RID/ADN)

: Not available

14.2. Proper Shipping Name:

Proper Shipping Name

: Not available

14.3. Transport Hazard Class:

ADR/RID/ADN Class

: Not controlled under ADR(Europe)

UN NO. SEA

: Not available

UN NO. AIR

: Not available

IMDG PAGE NO

: Not Controlled under IMDG

U.S. Department of Transportation (DOT)

Not a DOT controlled material (United States).

IMDG (Marine Transport)

Not Controlled under iMDG

IATA/ICAO (Air)

Not controlled under IATA.

14.4. Packaging Group Number:

Not available.

14.5. Environmental Hazards:

Environmentally Hazardous Substance/Marine Pollutant

Not.

14.6. Special Precautions for User:

Not known.

14.7. Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code

Not applicable.

15. Regulatory Information

Symbol of Danger

: None.

Risk Phrase

: None.

Safety Phrase

: Keep out of reach of children.



Edition Date: 05/11/2015 Form No: AR-F.12-R.01 / 09.12 Revision Date: -Revision No: 00 Sayfa 7 / 8

Product: MULTI- PURPOSE STAIN REMOVER

U.S. REGULATORY RULES

TSCA: Not listed on the TSCA inventory.

Health & Safety Reporting List: None of the chemicals are on the Health & Safety Reporting List.

CERCLA Hazardous Substances and corresponding RQs: None of the chemicals in this material have an RQ.

Chemical Test Rules: None of the chemicals in this product are under a Chemical Test Rule.

Section 12b: None of the chemicals are listed under TSCA Section 12b.

TSCA Significant New Use Rule: None of the chemicals in this material have a SNUR under TSCA.

SARA Section 302 Extremely Hazardous Substances: None of the chemicals in this product have a TPO

Section 313: No chemicals are reportable under Section 313.

OSHA: None of the chemicals in this product are considered highly hazardous by OSHA.

California Prop 65

California No Significant Risk Level: None of the chemicals in this product are listed.

European/International Regulations

REACH Regulation List of Substances of very high concern (SVHC): None of the ingredients is listed.

RCRA STATUS: Not applicable.

16. Other Information

The Safety Precautions Related To Hazardous Chemicals And Preparations-S Codes: Not applicable.

The contents and format of this SDS are in accordance with ISO Commission Directive ISO11014:2009.

DISCLAIMER OF LIABILITY

The information in this SDS was obtained from sources which we believe are reliable. However, the information is provided without any warranty, express or implied, regarding its correctness. The conditions or methods of handing, storage, use or disposal of the product are beyond our control and may be beyond our knowledge. For this and other reasons, we do not assume responsibility and expressly disclaim liability for loss, damage or expense arising out of or in any way connected with the handling, storage, use or disposal of the product. This SDS was prepared and is to be used only for this product. If the product is used as a component in another product, this SDS information may not be applicable.

Products covered by this MSDS:

<u>Item#</u> <u>Brand</u> <u>Description</u>

10001 Home Select Oxi all in one. 14 OZ.

The information on this sheet is limited to the material identified and is believed by Delta Brands, Inc. to be correct based on knowledge and information as of the date noted. Delta Brands, Inc. makes no representation, guarantee or warranty, expressed or implied, as to the accuracy, reliability or completeness of the information and assumes no responsibility for injury, damage or loss resulting from the use of the material.



Edition Date: 05/11/2015 Form No: AR-F.12-R.01 / 09.12 Revision Date: -Revision No: 00 Sayfa 8/8

Product: MULTI- PURPOSE STAIN REMOVER

Key Legend Information:

NA - Not Applicable ND - Not Determined

ACGIH - American Conference of Governmental

Industrial Hygienists

OSHA - Occupational Safety and Health

Administration

TLV - Threshold Limit Value

PEL - Permissible Exposure Limit

TWA - Time Weighted Average

STEL - Short Term Exposure Limit

NTP - National Toxicology Program

IARC - International Agency for Research on Cancer

ADR: Accord européen sur le transport des marchandises dangereuses par Route (European Agreement

concerning the International Carriage of Dangerous Goods by Road)

RID: Règlement international concernant le transport des marchandises dangereuses par chemin de fer

(Regulations Concerning theInternational Transport of Dangerous Goods by Rail)

IMDG: International Maritime Code for Dangerous Goods

IATA: International Air Transport Association

ICAO: International Civil Aviation Organization

GHS: Globally Harmonized System of Classification and Labelling of Chemicals

PNEC: Predicted No-Effect Concentration (REACH)

DNEL: Derived No-Effect Level (REACH),

LC50: Lethal concentration, 50 percent

LD50: Lethal dose, 50 percent